

Contact your local branch for more details





Contents

NEW	2025	Banned	Lamps
-----	------	---------------	-------

28W/38W CFL 2D Lamps	04
Banned Lamps	
T8 Triphosphor Fluorescent Tubes	0
Halogen Capsule Lamps	0
16W CFL 2D Lamps	
T9 Triphosphor Circular Fluorescent Tubes	
CFL Single Compact Lamps	
CFL Double Compact Lamps	
CFL Triple Compact Lamps	
CFL Long Compact 4 Pin PLL Lamps	
T5 Miniature Fluorescent Tubes	
	U
LED Lamp Alternatives	_
LED T8/T5 Glass Tubes	
LED GY6.35 Capsule Lamps	
2W LED G4 Capsule Lamps	
3.3W LED G9 Capsule Lamps	
4.4W LED G9.35 Capsule Lamps	
8W G24 LED Lamps	
2G11 LED PLL Lamps	
LED 2D Lamps	1!
LED Luminaire Alternatives	
LED Tri-Colour Battens IP20	1,
LED Non-Corrosive Fittings IP65	1
LED Linear Vapour Proof Fittings IP65	1
LED Slimline Under Cabinet Link Lights IP20	1
Backlit LED TP[a] Panels IP20	18
12W / 16W Dome LED Tri-Colour Bulkheads IP65	20-2
12W / 16W Klip LED Tri-Colour Bulkheads IP65	22-23
LED Circular Flexi-Fit Tri-Colour Downlights IP20	24-2
LED Low Profile Commercial Downlight IP20	21
4 1W Emergency Conversion Kit IP20	21

Banned Lamps

UK 2023/24 Lamp Market Bans

The lamps sector has undergone major changes in the last fifteen years, most of which have been driven by the move towards greater energy efficiencies and lower carbon emissions.

As part of the EU Restriction of Hazardous Substances (RoHS) directive. The fluorescent lamp ban aimed to reduce mercury use in electrical or electronic equipment. Therefore, from September 2023 and February 2024, fluorescent lamps have also been banned from production in the UK market.

The UK government states that this new legislation will enforce the significant change to more energy efficient and longer lasting LED lamps. It is claimed this will stop 1.26 million tonnes of carbon being emitted annually and will save consumers an average of £75 each year on energy bills.

However, it is important to note that suppliers are able to sell through existing stocks, also any banned products placed on the market before each enforcement date may also be sold.

UK 2023/2024 Lamp Ban Timeline

T8 Fluorescent Tubes [2 ft, 4 ft & 5 ft] Compact Fluorescent Lamps [CFLs] T5 Fluorescent Tubes [all lengths] T8 Fluorescent Tubes [remaining lengths]

UK 2025 Lamp Market Ban

As an additional part of the EU Restriction of Hazardous Substances (RoHS) directive to capture remaining lamps that contain mercury that fell out of scope of the February 2024 fluorescent lamp ban, the following lamps will be phased out:

FEBRUARY 2025

Compact Fluorescent 2D Lamps [28W & 38W]



This brochure has been produced to help guide customers through products associated with the lamp ban, as well as LED retrofit and integrated LED luminaire alternatives.



NEW 2025 Banned Lamps



T8 Triphosphor Fluorescent Tubes

■ Lamp life: 20,000 hrs



WHILE STOCKS LAST

Code	Length	Wattage	Lumens	1+	25+
Warm White	- 3000K				
0305-4415	2 ft	18W	1350 lm	Visit ce	f.co.uk
0305-4445	3 ft	30W	2450 lm	Visit ce	f.co.uk
0305-4466	4 ft	36W	3350 lm	Visit ce	f.co.uk
0305-4487	5 ft	58W	5230 lm	Visit ce	f.co.uk
White – 3500)K				
0305-4418	2 ft	18W	1350 lm	£3.25	£3.15
1035-3877	3 ft	30W	2450 lm	£5.85	£5.65
0305-4469	4 ft	36W	3350 lm	£4.50	£4.25
0305-4490	5 ft	58W	5250 lm	£5.25	£4.95
0999-1591	6 ft	70W	6200 lm	£10.50	£9.75
Cool White -	4000K				
0305-4421	2 ft	18W	1350 lm	£3.25	£3.15
0305-4448	3 ft	30W	2450 lm	£5.85	£5.65
0305-4472	4 ft	36W	3350 lm	£4.50	£4.25
0305-4493	5 ft	58W	5250 lm	£5.25	£4.95
0305-4505	6 ft	70W	6200 lm	£10.50	£9.75
Daylight – 65	500K				
0574-1053	2 ft	18W	1250 lm	£3.25	£3.15
1043-5366	3 ft	30W	2300 lm	£5.85	£5.65
0567-8131	4 ft	36W	3050 lm	£4.50	£4.25
0585-3589	5 ft	58W	5000 lm	£5.25	£4.95
0574-4965	6 ft	70W	5800 lm	Visit ce	f.co.uk

Halogen G9 Capsule Lamps 230V

- Finish: Clear
- Cap: G9
- Lamp life: 2,000 hrs



ONLY 2.50 £3.4VAT

Code	Wattage	Lumens	1+	10+
Warm White -	- 2700K			
0999-1597	18W	204 lm	£3.50	£3.25
0999-1600	33W	460 lm	£3.50	£3.25


Halogen Capsule Lamps 12V

■ Finish: Clear



ONLY 1.85 +VAT

Code	Wattage	Cap	Lumens	1+	10+		
Warm White	Warm White – 2900K						
0431-1037	5W	G4	60 lm	£1.85	£1.70		
2597-9065	8W	G4	104 lm	£1.85	£1.70		
2597-9059	16W	G4	280 lm	£1.85	£1.70		
2597-9062	28W	GY6.35	580 lm	£1.85	£1.70		
2597-9056	40W	GY6.35	905 lm	£1.85	£1.70		



Banned Lamps



16W CFL 2D Lamps

■ Emergency compatible





Code	Сар	Lumens	1+	10+
White - 3500	JK			
1145-1463	GR8 2 Pin	1060 lm	£5.15	£4.85
1362-5662	GR10q 4 Pin	1060 lm	£5.15	£4.85

T9 Triphosphor Circular Fluorescent Tubes

■ Cap: G10q

■ Lamp life: 12,000 hrs





* WHILE STOCKS LAST

1+	Lumens	Wattage	Code
		000K	Cool White - 4
Visit cef.co.uk	1400 lm	22W	1043-5342*
£14.75	2400 lm	32W	1043-5348
£20.95	3200 lm	40W	1043-5357





CFL Single Compact Lamps

■ Lamp life: 10,000 hrs




* WHILE STOCKS LAST

Code	Wattage	Cap	Length	Lumens	1+	10+
2 Pin – Cool	White – 4000K					
0305-4079	5W	G23	105 mm	260 lm	£3.80	£3.50
0305-4121	7W	G23	135 mm	405 lm	£3.80	£3.50
0305-4136	9W	G23	164 mm	583 lm	£3.80	£3.50
0305-3956	11W	G23	233 mm	897 lm	£3.95	£3.65
4 Pin – Cool	White – 4000K					
0305-4073*	5W	2G7	88 mm	260 lm	£3.80	£3.50
0305-4115	7W	2G7	120 mm	405 lm	£3.80	£3.50
0305-4130	9W	2G7	149 mm	583 lm	£3.80	£3.50
0305-3950	11W	2G7	218 mm	897 lm	£3.95	£3.65

CFL Triple Compact Lamps

■ Lamp life: 10,000 hrs

* WHILE STOCKS LAST



CFL Double Compact Lamps

■ Lamp life: 10,000 hrs



FROM **3.95** £3+VAT

Code	Wattage	Cap	Length	Lumens	1+	10+
2 Pin – Cool	White – 400	OK				
0305-4229	10W	G24d-1	116 mm	600 lm	£3.95	£3.75
0305-4244	13W	G24d-1	137 mm	897 lm	£3.95	£3.75
0305-4259	18W	G24d-2	153 mm	1206 lm	£3.95	£3.75
0305-4280	26W	G24d-3	173 mm	1716 lm	£3.95	£3.75
4 Pin – Cool	White – 400	OK				
0305-4289	10W	G24q-1	109 mm	600 lm	£4.25	£3.95
0305-4298	13W	G24q-1	130 mm	897 lm	£4.25	£3.95
0305-4307	18W	G24q-2	146 mm	1206 lm	£4.25	£3.95
0305-4316	26W	G24q-3	166 mm	1716 lm	£4.25	£3.95

CFL Long Compact 4 Pin PLL Lamps

■ Cap: 2G11

■ Lamp life: 10,000 hrs





Code	Wattage	Length	Lumens	1+	10+
Cool White -	4000K				
0567-8161	18W	225 mm	1206 lm	£6.40	£6.10
0567-8170	24W	320 mm	1800 lm	£6.40	£6.10
0567-8179	36W	415 mm	2916 lm	£6.40	£6.10
0567-8188	40W	535 mm	3320 lm	£7.25	£6.95
0567-8197	55W	535 mm	4510 lm	£7.25	£6.95

Banned Lamps

FUSI Lamps

T5 Miniature Fluorescent Tubes

■ Lamp life: 5,000 hrs



Code	Length	Wattage	Lumens	1+ 10+
White - 3500	K			
2385-6190	150 mm [6"]	4W	160 lm	Visit cef.co.uk
0305-4496	225 mm [9"]	6W	260 lm	Visit cef.co.uk
0305-4508	300 mm [12"]	8W	380 lm	Visit cef.co.uk
0305-4397	525 mm [21"]	13W	800 lm	Visit cef.co.uk



T5 Triphosphor Fluorescent Tubes

■ High-efficiency fluorescent tubes

■ Lamp life: 24,000 hrs



WHILE STOCKS LAST

Code	Length	Wattage	Lumens	1+	20+
Warm White	- 3000K				
0305-4400	549 mm	14W	1250 lm	£4.25	£3.95
0305-4424	849 mm	21W	1900 lm	Visit cef	.co.uk
0305-4430	1149 mm	28W	2620 lm	£4.65	£4.40
0305-4451	1449 mm	35W	3300 lm	£6.50	£6.25
White - 3500					
1090-6717	549 mm	14W	1250 lm	£4.25	£3.95
1090-6726	1449 mm	35W	3300 lm	£6.50	£6.25
1090-6732	1449 mm	49W	4312 lm	£6.50	£6.25
Cool White -	4000K				
0305-4403	549 mm	14W	1250 lm	£4.25	£3.95
1090-6723	549 mm	24W	1800 lm	£4.65	£4.40
0305-4427	849 mm	21W	1900 lm	£4.65	£4.40
1090-6729	849 mm	39W	3005 lm	£6.50	£6.25
0305-4433	1149 mm	28W	2620 lm	£4.65	£4.40
1090-6738	1149 mm	54W	4412 lm	£6.50	£6.25
0305-4454	1449 mm	35W	3300 lm	£6.50	£6.25
1090-6735	1449 mm	49W	4312 lm	£6.50	£6.25
1090-6741	1449 mm	80W	6200 lm	£6.50	£6.25
Daylight – 65	00K				
1090-6720	549 mm	14W	1140 lm	£4.25	£3.95









Depending on which icons are present, this indicates what control gear changes are required for the retrofit LED lamps to operate.



EASY INSTALL

This icon indicates that the process to retrofit to this LED lamp is much easier as only the starter needs to be removed or replaced when operating on switch start control gear.



ADVANCED INSTALL

This icon indicates that the process to retrofit to this LED lamp is more complex as the bypassing of control gear is required.



Direct Retrofit

– no change required

NOTE: Fusion Lamps always recommends the bypassing of all control gear to increase efficiency. Wiring diagrams are available upon request.

LED Lamp Alternatives

LED Lamp Alternatives

FUSI Lamps

LED T8 Glass Tubes

- Suitable replacement for fluorescent tubes
- Complete with LED starter for use in switch start retrofit installations
- Beam angle: 300°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years





Switch Start Control Gear = Remove Fluorescent Starter and Replace with LED Starter

E 7.75

High Frequency Control Gear

5+	1+	Lumens	Wattage	Length	Code				
	Non-Dimmable – Cool White – 4000K								
£7.25	£7.75	900 lm	9W	2 ft	2096-0905				
£9.50	£9.95	1500 lm	14W	3 ft	2096-0911				
£12.25	£12.75	1950 lm	18W	4 ft	2096-0923				
£14.75	£15.25	2600 lm	24W	5 ft	2096-0932				
£24.50	£25.50	3400 lm	30W	6 ft	2096-0938				

kgC02e SAVING

UP **248.40** OVER 25,000 hrs

YOU SAVE

UP **£294.**00 OVER 25,000 brs

ENERGY SAVING COMPARISON:

30W LED Tube vs 70W T8 & Control Gear [8W]

LED T8 Tri-Colour Glass Tubes

- Suitable replacement for fluorescent tubes
- Complete with LED starter for use in switch start retrofit installations
- Selectable colour temperature: Warm white 3000K, cool white 4000K and daylight 6500K
- Beam angle: 300°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years





Switch Start Control Gear = Remove Fluorescent Starter and Replace with LED Starter



High Frequency Control Gear = Bypass

FROM
0.95
EU+VAT

Code	Length	Wattage	Lumens	1+	5+
Non-Dimm	able				
2772-8017	2 ft	9W	945-990 lm	£8.95	£8.50
2772-8020	3 ft	14W	1540-1680 lm	£10.95	£10.50
2772-8023	4 ft	18W	1980-2160 lm	£13.75	£13.25
2772-8026	5 ft	24W	2640-2880 lm	£15.95	£15.50
2772-8029	6 ft	30W	3300-3600 lm	£30.95	£29.95

kgC02e SAVING

UP 217.35 OVER 25,000 hrs

YOU SAVE

UP **£257.25** OVER 25,000 hrs

ENERGY SAVING COMPARISON:

24W LED T8 CCT Tube vs 58W T8 & Control Gear (8W)

LED T5 Glass Tubes

- Suitable replacement for fluorescent tubes
- Beam angle: 200°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years





High Frequency Control Gear = Bvpass



Code	Length	Wattage	Lumens	1+	10+
Non-Dimn	nable – Co	ol White	-4000K		
2772-8041	2 ft	8W	880 lm	£11.05	£10.75
2772-8032	3 ft	12W	1320 lm	£13.75	£13.25
2772-8035	4 ft	16W	1760 lm	£15.50	£14.95
2772-8038	5 ft	20W	2200 lm	£17.75	£17.25

kgC02e SAVING

UP 103.50 OVER 25,000 hrs

YOU SAVE

UP **£122.50** OVER 25,000 hrs

DOY O A WING COMPA PICON

ENERGY SAVING COMPARISON:

20W LED T5 Tube vs 35W T5 & Control Gear (5W)







LED GY6.35 Capsule Lamps 12V

- Suitable replacement for 25 and 40W halogen lamps
- Lamp life: 15,000 hrs
- Guarantee: 1 Year





- no change required

FROM

Code	Wattage	Lumens	1+	10+
Non-Dimn	nable – W	arm Whit	te – 2700 i	(
2786-2006	2.6W	300 lm	£7.50	£6.95
2786-2012	4W	470 lm	£8.25	£7.75
Non-Dimn	nable – Co	ool White	- 4000K	
2786-2003	2.6W	300 lm	£7.50	£6.95
2786-2009	4W	470 lm	£8.25	£7.75

kaCO2e SAVING

YOU SAVE

15,000

ENERGY SAVING COMPARISON: 4W LED GY6.35 vs 50W Halogen GY6.35

2W LED G4 Capsule Lamps 12V

- Suitable replacement for 10 and 20W halogen lamps
- Lamp life: 15,000 hrs
- Pack of 2
- Guarantee: 1 Year





- no change required



Code	Lumens	1+	10+
Non-Dimmal	ole – Warm	White – 3	000K
2196-2761	200 lm	£10.50	£9.95
Non-Dimmal	ole – Cool W	/hite – 40	OOK
2247-2401	200 lm	£10.50	£9.95

kaCO2e SAVING

15,000 kgCO2e hrs

YOU SAVE

15,000

ENERGY SAVING COMPARISON: 2W LED G4 vs 20W Halogen G4

3.3W LED G9 Capsule Lamps 230V

- Suitable replacement for 40W halogen lamps
- Lamp life: 15,000 hrs
- Pack of 2
- Guarantee: 1 Year





Direct Retrofit - no change required



Code	Lumens	1+	10+			
Non-Dimma	ıble – Warn	1 White – 3	000K			
2196-2764	350 lm	£10.50	£9.95			
Non-Dimmable – Cool White – 4000K						
2247-2404	350 lm	£10.50	£9.95			

kaCO2e SAVING

15,000 kgCO2e hrs

YOU SAVE

OVER 15,000

ENERGY SAVING COMPARISON:

3.3W LED G9 vs 40w Halogen G9

4.4W LED G9 Capsule Lamps 230V

- Suitable replacement for 40W halogen lamps
- Lamp life: 15,000 hrs
- Guarantee: 1 Year





- no change required



Code	Lumens	1+	10+
Dimmable –	Warm Whi	ite – 3000	
2658-6514	470 lm	£6.75	£6.25
Dimmable –	Cool Whit	e – 40001	(
2705-9821	480 lm	£6.75	£6.25

kaCO2e SAVING

YOU SAVE

15,000

ENERGY SAVING COMPARISON:

4.4W LED G9 vs 40w Halogen G9

LED Lamp Alternatives



8W G24 LED Lamps 230V

- Suitable replacement for 18 and 26W compact fluorescent lamps
- Rotating end cap
- Lamp life: 25,000 hrs





Switch Start Control Gear = Remove Starter



ligh Frequency Control Gear



Code	Сар	Length	Lumens	1+	10+
Non-Dimma	able – Cool	White – 4	000K		
2275-5286	G24 2 Pin	145 mm	800 lm	£16.95	£16.50
2275-5325	G24 4 Pin	145 mm	800 lm	£16.95	£16.50

kaCO2e SAVING

kgCO2e hrs

YOU SAVE OVER 25,000

ENERGY SAVING COMPARISON:

8W LED Compact vs 26W Compact & Control Gear (6W)

2G11 LED PLL Lamps 230V

- Suitable replacement for 18 55W compact fluorescent lamps
- Lamp life: 20,000 hrs
- Guarantee: 3 Years





Switch Start & High Frequency Control Gear = Bypass



Code	Wattage	Length	Lumens	1+	10+
Non-Dimmat	ole – Cool	White – 4	000K		
1653-8089	8W	225 mm	900 lm	£15.75	£15.25
2345-5771	12W	315 mm	1350 lm	£16.25	£15.75
1653-5578	16W	415 mm	1800 lm	£16.95	£16.50
2345-5777	20W	540 mm	2350 lm	£17.95	£17.50

kaCO2e SAVING

YOU SAVE

OVER 20.000

ENERGY SAVING COMPARISON:

20W LED Compact vs 55W Compact & Control Gear (3W)

LED 2D Lamps

- Suitable replacement for 16, 28 and 38W compact fluorescent 2D lamps
- Lamp life: 30,000 hrs

Guarantee: 3 Years





Switch Start Control Gear **Remove Starter**



High Frequency Control Gear



Code	Wattage	Сар	Lumens	1+	10+				
Non-Dimmable – Cool White – 4000K									
2123-0989	8W	GR8 2 Pin	800 lm	£19.25	£18.25				
2123-0992	8W	GR10q 4 Pin	800 lm	£19.25	£18.25				
2123-0980	14W	GR8 2 Pin	1400 lm	£21.25	£20.25				
2123-0983	14W	GR10q 4 Pin	1400 lm	£21.25	£20.25				
2123-0986	18W	GR10q 4 Pin	2000lm	£26.25	£25.25				


kaCO2e SAVING

YOU SAVE

OVER 30.000

ENERGY SAVING COMPARISON:

8W LED 2D vs 16W 2D & Control Gear (6W)



FUSI Luminaires

LED Tri-Colour Battens IP20

- Steel body with powder-coated finish
- Polycarbonate UV stabilised diffuser
- Quick-release access system
- Ideal retrofit option for existing T8 or T5 fixtures
- Integrated LED
- Colour temperature: Warm white 3000K, cool white 4000K and daylight 6500K

- Lamp life: 50,000 hrs
- Dimensions: 72 mm[W] x 72.5 mm[D]
- Mounted: Surface or suspended
- Guarantee: 5 Years [on-site guarantee: 1 year] [emergency guarantee: 2 years]

Microwave features:

- Detection angle [ceiling]: 360° [wall]: 150°
- Detection range: 10 m
- Timer adjustment: 5 secs, 30 secs, 90 secs, 5 mins, 20 mins or 30 mins

Includes:

■ Safety cords to LED tray

Code	Size	Wattage	Sensor	Lumens	Length		Price		
Standard									
2756-5063	2 ft	10W	No	1200 lm	600 mm	1+	£29.95 10+	£28.95	
2756-5066	4 ft	20W	No	2400 lm	1200 mm	1+	£30.95 10+	£29.50	
2756-5081	5 ft	30W	No	3600 lm	1500 mm	1+	£34.95 10+	£33.50	
2756-5093	5 ft	30W	Microwave	3600 lm	1500 mm	1+	£53.95 10+	£51.95	
2756-5111	6 ft	40W	No	4800 lm	1800 mm	1+	£44.95 10+	£43.50	
Standard – I	High Out	tput							
2756-5075	4 ft	40W	No	4800 lm	1200 mm	1+	£46.75 10+	£45.25	
2756-5099	5 ft	60W	No	7200 lm	1500 mm	1+	£44.95 10+	£43.50	
2756-5105	5 ft	60W	Microwave	7200 lm	1500 mm	1+	£74.95 10+	£72.95	
2756-5117	6 ft	67W	No	8040 lm	1800 mm	1+	£63.50 10+	£61.95	
3 hr Maintai	ined Em	ergency							
2756-5072	4 ft	20W	No	2400 lm	1200 mm	1+	£74.95 3+	£72.95	
2756-5087	5 ft	30W	No	3600 lm	1500 mm	1+	£79.95 3+	£77.95	
2756-5096	5 ft	30W	Microwave	3600 lm	1500 mm	1+	£94.95 3+	£92.95	
2756-5114	6 ft	40W	No	4800 lm	1800 mm	1+	£84.95 3+	£82.95	
3 hr Maintained Emergency – High Output									
2756-5078	4 ft	40W	No	4800 lm	1200 mm	1+	£87.50 3+	£85.50	
2756-5102	5 ft	60W	No	7200 lm	1500 mm	1+	£89.95 3+	£87.95	
2756-5108	5 ft	60W	Microwave	7200 lm	1500 mm	1+	£109.95 3+	£107.95	
2756-5120	6 ft	67W	No	8040 lm	1800 mm	1+	£99.95 3+	£97.95	











Visit cef.co.uk for video demonstration

UP 372-60 OVER 50,000 hrs

VOU SAVE
UP **£441.00** OVER 50,000 hrs

ENERGY SAVING COMPARISON: 30W LED Batten vs 58W T8 Fluorescent Lamp & Control Gear [8W]











LED Non-Corrosive Fittings IP65

- Polycarbonate body and purpose-designed opal diffuser
- Integrated LED
- Colour temperature: Cool white 4000K
- Lamp life: 50,000 hrs
- Impact rating: IK08

- Mounted: Surface or suspended
- Guarantee: 5 Years [on-site guarantee: 1 year] [emergency guarantee: 2 years]



Includes:

- Stainless steel fixing clips
- Gear tray extension cords

Code	Size	Wattage	Lumens	Length	Width	Depth		Price		
Standard										
2613-7831	2 ft	9W	1100 lm	600 mm	96 mm	79 mm	1+	£29.50	10+	£27.95
2613-7834	2 ft	18W	2200 lm	600 mm	96 mm	79 mm	1+	£33.95	10+	£32.50
2613-7894	4 ft	18W	2200 lm	1200 mm	96 mm	79 mm	1+	£30.75	10+	£29.25
2613-7840	4 ft	40W	4800 lm	1200 mm	96 mm	79 mm	1+	£42.50	10+	£40.95
2613-7846	5 ft	23W	2800 lm	1500 mm	96 mm	79 mm	1+	£35.50	10+	£33.95
2613-7852	5 ft	48W	5800 lm	1500 mm	96 mm	79 mm	1+	£48.50	10+	£46.95
2613-7858	6 ft	27W	3200 lm	1800 mm	96 mm	83 mm	1+	£49.95	10+	£48.50
2613-7864	6 ft	55W	6600 lm	1800 mm	96 mm	83 mm	1+	£59.50	10+	£57.95
Standard – M	Standard – Microwave Sensor									
2726-9278	5 ft	23W	2800 lm	1500 mm	96 mm	79 mm	1+	£51.50	10+	£49.95
2726-9272	5 ft	48W	5800 lm	1500 mm	96 mm	79 mm	1+	£64.50	10+	£62.75
3 hr Maintair	ed Em	ergency								
2613-7837	4 ft	18W	2200 lm	1200 mm	96 mm	79 mm	1+	£78.95	3+	£76.95
2613-7843	4 ft	40W	4800 lm	1200 mm	96 mm	79 mm	1+	£88.95	3+	£86.95
2613-7849	5 ft	23W	2800 lm	1500 mm	96 mm	79 mm	1+	£83.50	3+	£81.50
2613-7855	5 ft	48W	5800 lm	1500 mm	96 mm	79 mm	1+	£98.95	3+	£96.95
2613-7861	6 ft	27W	3200 lm	1800 mm	96 mm	83 mm	1+	£96.95	3+	£94.95
2613-7867	6 ft	55W	6600 lm	1800 mm	96 mm	83 mm	1+	£109.95	3+	£107.50
3 hr Maintair	ed Em	ergency –	Microwave	Sensor						
2726-9281	5 ft	23W	2800 lm	1500 mm	96 mm	79 mm	1+	£113.95	3+	£109.95
2726-9275	5 ft	48W	5800 lm	1500 mm	96 mm	79 mm	1+	£137.50	3+	£133.50

Microwave features:

- Detection angle [ceiling]: 360° [wall]: 150°
- Detection range: 10 m
- Timer adjustment: 5 secs, 30 secs, 90 secs, 5 mins, 20 mins or 30 mins



kgC02e SAVING

UP 972.90 OVER 50,000 hrs



YOU SAVE

^{UP} £1,151.50

OVER 50,000 hrs

ENERGY SAVING COMPARISON:

48W LED Non Corrosive vs 2 x 58W T8 Fluorescent Lamps & Control Gear [26W]





LED Linear Vapour Proof Fittings IP65

- Slim extruded single-piece polycarbonate body and opal diffuser
- Integrated LED
- Colour temperature: Cool white 4000K
- Lamp life: 25,000 hrs
- Dimensions: 53 mm[W] x 35 mm[D]
- Mounted: Surface or suspended
- Guarantee: 2 Years







Includes:

- Stainless steel fixing clips
- Entry gland
- Quick-fit terminals

Code	Size	Wattage	Lumens	Length	1+	10+
Single						
2607-5575	4 ft	36W	3600 lm	1261 mm	£23.75	£22.75
2607-5578	5 ft	45W	4500 lm	1541 mm	£27.95	£26.95
2607-5581	6 ft	60W	6000 lm	1841 mm	£42.50	£41.50





UP 93.15 OVER 25,000 hrs

YOU SAVE

UP **£110.25** OVER 25,000 hrs

ENERGY SAVING COMPARISON:

60W LED Vapour Proof vs 70W T8 Fluorescent Lamp & Control Gear (8W)



Visit cef.co.uk for video demonstration














LED Slimline Under Cabinet Link Lights IP20

Suitable replacement for traditional T4 and T5 fluorescent fittings







Includes:

- 1.8 m Mains cable
- 150 mm Link cable
- Fixing brackets
- Connector

	Wattage	Length	Lumens	1+	5+
Cool White - 400	OK .				
2341-3852 4	4W	225 mm	360 lm	£12.95	£12.50
1916-9914 4	4W	288 mm	400 lm	£13.50	£12.95
1916-9917 7	7W	516 mm	700 lm	£16.95	£16.25
1916-9920 9	9W	549 mm	900 lm	£20.50	£19.50
1916-9905 13	13W	849 mm	1300 lm	£22.95	£21.75
1916-9908 1	18W	1149 mm	1800 lm	£27.50	£26.25
1916-9911 2	22W	1449 mm	2100 lm	£36.50	£34.95

kaCO2e SAVING

YOU SAVE OVER 30.000

ENERGY SAVING COMPARISON:

13W LED Link Light vs 21W T5 Link Light (4W)

LED Slimline Colour Selectable Under Cabinet Lights IP20

- Suitable replacement for traditional T4 and T5 fluorescent fittings
- Compact, surface mounted design
- Selectable colour temperature: Warm white 3000K and cool white 4000K
- Beam angle: 150°
- Lamp life: 30,000 hrs
- Warranty: 3 Years



Includes:

- 1.5 m Mains cable
- 170 mm Link cable
- Fixing brackets
- Connector





Code	Wattage	Length	Lumens	1+	5+
2795-8372	4W	225 mm	400 lm	£15.95	£15.50
2795-8369	4W	288 mm	450 lm	£17.50	£16.95
2795-8378	7W	516 mm	850 lm	£20.95	£20.50
2795-8360	13W	849 mm	1500 lm	£25.95	£24.95
2795-8363	18W	1149 mm	1800 lm	£29.95	£27.75





Backlit LED TP[a] Panels IP20

- Aluminium body with low glare opal polycarbonate TP[a] diffuser
- Optional emergency conversion pack sold separately [2628-3835]
- Mounted: Recessed
- Lamp life: 50,000 hrs
- Guarantee: 5 Years [on-site guarantee: 1 year]

kgC02e SAVING

YOU SAVE OVER 50,000

ENERGY SAVING COMPARISON:

36W LED Panel vs 4x18W Fluorescent Lamps & Control Gear (16W)

Includes:

■ Plug-and-play driver

Code	Wattage	Lumens	Length	Width	Depth	1+	10+
Non-Dimmable	– Warm White – 3000k						
2676-5536	36W	3820 lm	595 mm	595 mm	34 mm	£25.95	£24.95
Non-Dimmable	- Cool White - 4000K						
2676-5530	36W	3820 lm	595 mm	595 mm	34 mm	£25.95	£24.95
2676-5518	36W	3820 lm	1195 mm	295 mm	34 mm	£44.95	£42.95
2676-5524	45W	4830 lm	1195 mm	595 mm	34 mm	£76.95	£74.95
Non-Dimmable	- Daylight - 6500K						
2676-5533	36W	3820 lm	595 mm	595 mm	34 mm	£25.95	£24.95
2676-5521	36W	3820 lm	1195 mm	295 mm	34 mm	£44.95	£42.95
2676-5527	45W	4830 lm	1195 mm	595 mm	34 mm	£76.95	£74.95

FROM

4.3W Emergency Conversion Pack

- Designed for Fusion LED panels
- 24 Hour charge time
- Test button

- Emergency duration: 3 hrs
- Charge indicator LED
- Guarantee: 2 Years

Code	Length	Width	Depth	1+	3+
2628-3835	213 mm	95 mm	40 mm	£57.95	£55.95







Free lighting design service

Exclusive lighting design service for CEF customers from Fusion Luminaires

Our FREE lighting design services include

- Plans
- An overview of products required for the project
- Representational floor plan
- A quick reference point for placements
- Results Overview
- Illumination levels and products required for individual rooms
- Numerical Results
- Numerical LUX level results
- Optional 3D Rendered Images
- 3D visual representation of post project install
- ✓ Full Product Specification
- Detailed specification of products used for the project
- Optional Energy Saving Report Calculator
- Energy saving report to showcase usage and monetary savings

95% of lighting designs completed within 3 days For more details contact your local branch





12W / 16W Dome LED Tri-Colour Bulkheads IP65

- LED Bulkhead with opal diffuser
- Selectable colour temperature: Warm white 3000K, cool white 4000K or daylight 6500K
- Switch located on the driver takes the fitting down to 12W for increased energy savings
- Lumen output [12W]: 1,200 1,300 lm[16W]: 1,600 1,700 lm
- Guarantee: 3 Years [emergency guarantee: 2 years]

Microwave features:

- Detection angle: 360°
- Detection range: 10 m
- Timer adjustment: 5 secs 10 mins

Includes:

Standard white bezel





2722-3348

2722-3345



Visit cef.co.uk for video demonstration

Code	Sensor	Lamp Life	Depth	Ø		Price			
Standard									
2704-3078	No	30000 hrs	82.5 mm	320 mm	1+	£22.95	5+	£21.50	
2704-3147	Microwave	30000 hrs	82.5 mm	320 mm	1+	£41.75	5+	£39.75	
3 hr Maintained Emergency									
2704-3144	No	20000 hrs	82.5 mm	320 mm	1+	£43.50	3+	£41.95	
2704-3150	Microwave	20000 hrs	82.5 mm	320 mm	1+	£59.95	3+	£57.95	
Code	Colour					1	+	3+	
Bezels - To B	e Ordered S	eparately							
2722-3345	Chrome					£7.9	5	£7.75	
2722-3348	Polished Br	ass				£12.9	5	£12.75	



UP **86.94** OVER 30,000 hrs

YOU SAVE

UP **£102.90** OVER 30,000 hrs

ENERGY SAVING COMPARISON:

12W LED Bulkhead vs 16W 2D & Control Gear (10W)



CCT COLOUR SELECT

WATTAGE SELECT





CCT SELECTABLE

- Dome fittings have a built-in CCT colour select function [WW / CW / DL]
- The colour temperature can be changed by adjusting the switch on the LED gear tray









WIRING

Push-fit [loop-in/loop-out] terminal block




ACCESS



WATTAGE SELECTABLE

 The Dome Bulkhead has a built-in Wattage selection function [12W or 16W]. The wattage can be changed by adjusting the switch on the LED Driver.



EMERGENCY

- Maintained emergency [3 hr / 180 mins] versions available
- Emergency lumen output: 80 lm



MICROWAVE SENSOR

 Dip switch programmable microwave sensor with corridor function is also available.







12W / 16W Klip LED Tri-Colour Bulkheads IP65

- LED Bulkhead with opal diffuser
- Selectable colour temperature: Warm white 3000K, cool white 4000K or daylight 6500K
- Switch located on the driver takes the fitting down to 12W for increased energy savings
- Lumen output [12W]: 1,200 1,300 lm [16W]: 1,600 - 1,700 lm
- Optional tamper-proof fixings sold separately [2633-1619]

- Lamp life: 30,000 hrs
- Guarantee: 5 Years [on-site quarantee: 1 year] [emergency quarantee: 2 years]

Microwave features:

- Detection angle 360°
- Detection range: 12 m
- Timer adjustment: 0 20 mins



video demonstration

Includes:

■ Standard white bezel

Code	Sensor	Depth	Ø		Pri	ice		
Standard								
2704-3168	No	95 mm	340 mm	1+	£28.95	5+	£27.50	
2704-3174	Microwave	95 mm	340 mm	1+	£46.95	5+	£44.95	
3 hr Maintain	ed Emergency							
2704-3171	No	95 mm	340 mm	1+	£48.50	3+	£46.95	
2704-3177	Microwave	95 mm	340 mm	1+	£64.95	3+	£62.95	
Code	Colour	Colour						
Standard Bez	els – To Be Ordere	d Separately						
2743-9111	Anthracite		£	5.25	£4.95			
2631-9289	Black				£3	3.50	£3.25	
2631-9292	Chrome				£	7.25	£6.95	
2631-9307	White				£3	3.50	£3.25	
Eyelid Bezels	– To Be Ordered Se	eparately						
2743-9114	Anthracite				£	5.25	£4.95	
2631-9295	Black				£3	3.50	£3.25	
2631-9298	White				£3	3.50	£3.25	
Grille Bezels -	– To Be Ordered Se	parately						
2631-9301	Black		£3	3.50	£3.25			
2631-9304	White 4						£3.25	
Code	Description						1+	
2633-1619	Tamper Proof Scre	ws and Tool					£4.50	



kgC02e SAVING

YOU SAVE OVER 30,000

ENERGY SAVING COMPARISON:

16W LED Bulkhead vs 28W 2D & Control Gear (6W)














CCT SELECTABLE CCT Colour Select Function [WW / CW / DL]



WIRING Push-fit [loop-in / loop-out] terminal block



WATTAGE SELECT Easily change between 12W and 16W



MICROWAVE SENSOR



2633-1619

TAMPER-PROOF SCREWS & TOOL Sold separately

CLIP-ON BEZELS

- 9 x Clip-on bezels available [white bezel included]
- Conduit knockouts on bezel
- Bezels hide fixings when installed





ACCESS

Self-retaining screws

DIP Switch programmable microwave sensor with corridor function

Tool-free hinged gear tray



MOUNTING & FIXING

- 4 x 20 mm Conduit entry points
- 2 x Rear cable entry points
- Wiring recess on base with knockouts
- 55 mm BESA Conduit box mounting
- 12 x Pilot holes for surface mounting







2743-9114

2631-9289

2631-9295

2631-9298



2631-9301 2631-9304

23



LED Circular Flexi-Fit Tri-Colour Downlights IP20

- White body with opal polycarbonate diffuser
- Integrated switch to select colour temperatures
- Adjustable spring clips allow recessed mounting in downlight holes
- Selectable colour temperature: Warm white 3000K, cool white 4000K and daylight 6000K
- Interchangeable magnetic bezels available sold separately
- Mounted: Surface or recessed
- Lamp life: 30,000 hrs
- Guarantee: 2 Years

Includes:

Integrated driver

6W Downlight

■ Lumen output: 390, 420 or 450 lm

Code	Depth	Ø	Cut Out Ø	1+	10+
2606-9203	15 mm	140 mm	55 - 100 mm	£17.25	£16.25
Code	Finish			1+	10+
Magnetic B	ezel				
2606-9218	Chrome			£4.75	£4.25
2606-9215	Matt Black			£4.75	£4.25
2606-9221	Satin Nickel			£4.75	£4.25

18W Downlight

Lumen output: 1,500, 1,530 or 1,560 lm

Code	Depth	Ø	Cut Out Ø	1+	10+
2604-0979	15 mm	217 mm	55 - 175 mm	£25.95	£24.95
Code	Finish			1+	10+
Magnetic Be	zel				
2604-0985	Chrome			£5.95	£5.50
2604-0982	Matt Black			£5.95	£5.50
2604-0988	Satin Nickel			£5.95	£5.50

24W Downlight

■ Lumen output: 1,980, 2,010 or 2,040 lm

Code	Depth	Ø	Cut Out Ø	1+	10+
2606-9200	15 mm	290 mm	60 - 250 mm	£37.95	£36.95
Code	Finish			1+	10+
Magnetic Bo	ezel				
2606-9209	Chrome			£7.95	£7.50
2606-9206	Matt Black			£7.95	£7.50
2606-9212	Satin Nickel			£7.95	£7.50





kgC02e SAVING
UP 285-66 OVER 30,000 hrs

YOU SAVE
UP **£338.**10 OVER 30,000 hrs

ENERGY SAVING COMPARISON:

18W LED Downlight vs 2 x 26W Compact & Control Gear [12W]







SURFACE MOUNTED

By using the bracket, screws and wall plugs, the fitting can be surface mounted.



RECESS MOUNTED

The spring-clips are adjustable, which allows it to be used in cut-out sizes from 55 to 250 mm depending on the luminaire wattage.



MAGNETIC BEZELS

The Flexi-Fit bezel is white as standard. Additional magnetic bezels are sold separately, allowing the option to tailor the fitting to preferred aesthetics.

















LED Low Profile Commercial Downlights IP20

- Low profile recessed downlight with opal polycarbonate diffuser
- Ideal replacement for existing CFL fixtures
- Mounted: Recessed
- Lamp life: 25,000 hrs
- Guarantee: 2 Years



Includes:

■ Plug-and-play driver

Code	Wattage	Lumens	Depth	Ø	Cut Out Ø	1+	10+
Warm White	- 3000K						
2754-6394	6W	450 lm	21 mm	128 mm	115 mm	£10.50	£9.95
2754-6385	12W	900 lm	21 mm	170 mm	150 mm	£14.25	£13.75
2754-6388	18W	1600 lm	21 mm	229 mm	210 mm	£16.95	£16.25
2754-6391	24W	1900 lm	21 mm	298 mm	280 mm	£26.95	£26.25
Cool White -	4000K						
2634-4567	6W	450 lm	21 mm	128 mm	115 mm	£10.50	£9.95
2634-4558	12W	900 lm	21 mm	170 mm	150 mm	£14.25	£13.75
2634-4561	18W	1600 lm	21 mm	229 mm	210 mm	£16.95	£16.25
2634-4564	24W	1900 lm	21 mm	298 mm	280 mm	£26.95	£26.25



VOU SAVE
UP **£281.75** OVER 25,000 hrs

ENERGY SAVING COMPARISON:
18W LED Downlight vs 2 x 26W Compact & Control Gear [12W]



4.1W Maintained Emergency Conversion Kit IP20

- All-in-one emergency conversion kit for Fusion Low Profile LED circular downlights
- Lithium-ion phosphate [LiFePO4] battery offers excellent reliability
- Plug-and-play connections

- Manual test button
- Emergency duration: 3 hrs
- Guarantee: 2 Years

Code	Length	Width	Depth	1+	3+
2634-4570	213 mm	95 mm	40 mm	£49.50	£47.50



Shop the easy way

Get the essential electrical products you need to get the job done

Choose how you shop

Trade Catalogue

- Browse, research and compare products
 - Get prices for everyday essentials
- Order in branch or online

Online at cef.co.uk

- Over 44,000 products
 - Free delivery on orders over £50

Trade App

- Scan products in the Trade Catalogue on your smartphone
 - Pay securely
- Delivery to a location that suits you

In Branch

- A huge range of professional power tools from industry leading brands
- Almost 3,000 everyday essential products available in-branch to take away today

Visit **cef.co.uk** or contact your local CEF branch today



CEF are committed to providing their customers with a unique recycling solution, to ensure all electrical waste, lamps and batteries are recycled responsibly and valuable resources are captured and recovered for our future generations.

CEF are the only electrical distributor in the UK to have an in-house electrical waste recycling facility, offering our customers a complete one-stop recycling service and compliance in line with all current legislation.

waste experts
flexible - reliable - responsible

ASK IN-BRANCH OR VISIT cef.co.uk/waste-recycling FOR MORE INFORMATION



DID YOU KNOW?



CEF recycle over **1 million** lamps a year

CEF recycle more electrical waste than any other UK electrical distributor





CEF care for the environment by **recycling 98%** of the electrical waste it receives

CEF have a network of over **390 branches** ready to help you meet your environmental responsibilities



.PD1193/08.24







IN BRANCH | CEF.CO.UK | APP | TRADE CATALOGUE