

Fusion Lamps Range 2 - 12 | Fusion Luminaires Lighting Range 14 - 23



FUSI:N

HIGH INTENSITY DISCHARGE LAMPS

70W SON-E External Ignitor High Pressure Sodium Lamp

- Ignitor: External
- Cap: ES / E27
- Lamp life: 28,000 hrs



Code Lumens	1+	3+
Extra Warm White – 2000K		
1728-0607 6000 lm	£19.50	£18.50

70W SON-E Internal Ignitor High Pressure Sodium Lamp

- Ignitor: Internal
- Cap: ES / E27
- Lamp life: 32,000 hrs



FUSI:N

Code	Lumens	1+	3+
Extra Warm V	Vhite – 2000K		
1728-0613	5600 lm	£21.50	£20.50

SON-T External Ignitor High Pressure Sodium Lamps

■ Ignitor: External

■ Lamp life: 32,000 hrs



Code	Wattage	Сар	Lumens	1+	3+
Extra Warm W	/hite – 2000K				
1746-4831	70W	ES / E27	6600 lm	£19.50	£18.50
1738-0063	150W	GES / E40	16500 lm	£21.25	£20.25
1746-4822	250W	GES / E40	32500 lm	£25.50	£24.50
1746-4828	400W	GES / E40	56500 lm	£29.50	£28.50

70W SON-T Internal Ignitor High Pressure Sodium Lamp

- Ignitor: Internal
- Cap: ES / E27
- Lamp life: 28,000 hrs



Code	Lumens	1+	3+
Extra Warm	White – 2000K		
1517-8090	6600 lm	£20.50	£19.50



Elliptical Dual Metal Halide Lamps

 For use on most mercury and sodium ballasts in conjunction with the appropriate ignitor or electronic control gear

- Ignitor: External
- Cap: GES / E40
- Lamp life: 15,000 hrs



Code	Wattage	Lumens	1+	10+
Cool White - 4	4500K			
0562-8331	250W	19000 lm	£35.95	£34.95
0562-8334	400W	32000 lm	£37.75	£36.75

Tubular Dual Metal Halide Lamps

 For use on most mercury and sodium ballasts in conjunction with the appropriate ignitor

- Ignitor: External
- Cap: GES / E40
- Lamp life: 15,000 hrs



Code	Wattage	Lumens	1+	10+
Cool White -	4500K			
0305-4544	250W	18000 lm	£23.75	£22.75
0305-4550	400W	32000 lm	£24.75	£23.75

Elliptical Ceramic Metal Halide Lamp 230V

 For use on most sodium ballasts in conjunction with the appropriate ignitor or electronic control gear

- Ignitor: External
- Cap: ES / E27



FUSI

Code	Wattage	Lumens	Lamp Life	1+	10+
Cool White – 4200K					
2428-7581	70W	6000 lm	20000 hrs	£40.95	£39.95

G12 Ceramic Metal Halide Lamps

 For use on most sodium ballasts in conjunction with the appropriate ignitor or electronic control gear

■ Cap: G12

FUSI N

Lamp life: 12,000 hrs



Code	Wattage	Lumens	1+	10+
Warm White	- 3000K			
1117-2022	35W	3400 lm	£30.95	£29.95
1117-2028	70W	7000 lm	£30.95	£29.95



HIGH INTENSITY DISCHARGE LAMPS

G8.5 Ceramic Metal Halide Lamps



- For use on most sodium ballasts in conjunction with the appropriate ignitor or electronic control gear
- Cap: G8.5
- Lamp life: 12,000 hrs



Code	Wattage	Lumens	1+	10+
Warm Wh	ite – 3000K			
1117-2034	35W	3400 lm	£37.95	£36.95
1117-2037	70W	7000 lm	£37.95	£36.95

Double-Ended Metal Halide Lamps



- For use on most sodium ballasts in conjunction with the appropriate ignitor or electronic control gear
- Cap: RX7s
- Lamp life: 10,000 hrs



Code	Wattage	Lumens	1+	10+
Cool White -	- 4200K			
0305-4583	70W	5600 lm	£17.25	£16.25
0305-4577	150W	14500 lm	£17.25	£16.25



CFL LAMPS

CFL Single Compact 2 Pin Lamps



- Cap: G23
- Lamp life: 10,000 hrs



Code	Wattage	Length	Lumens	1+	10+
Cool White-	- 4000K				
0305-4121	7W	135 mm	405 lm	£3.80	£3.50
0305-4136	9W	164 mm	583 lm	£3.80	£3.50
0305-3956	11W	233 mm	897 lm	£3.95	£3.65

CFL LAMPS

CFL Double Compact 2 Pin Lamps



■ Lamp life: 10,000 hrs



Code	Wattage	Сар	Length	Lumens	1+	10+
White - 350	OK					
0305-4241	13W	G24d-1	137 mm	897 lm	£3.95	£3.75
0305-4256	18W	G24d-2	153 mm	1206 lm	£3.95	£3.75
0305-4277	26W	G24d-3	173 mm	1716 lm	£3.95	£3.75
Cool White -	- 4000K					
0305-4244	13W	G24d-1	137 mm	897 lm	£3.95	£3.75
0305-4259	18W	G24d-2	153 mm	1206 lm	£3.95	£3.75
0305-4280	26W	G24d-3	173 mm	1716 lm	£3.95	£3.75

CFL Double Compact 4 Pin Lamps







Code	Wattage	Сар	Length	Lumens	1+	10+
White - 350	OK					
0305-4295	13W	G24q-1	130 mm	897 lm	£4.25	£3.95
0305-4304	18W	G24q-2	146 mm	1206 lm	£4.25	£3.95
0305-4313	26W	G24q-3	166 mm	1716 lm	£4.25	£3.95
Cool White -	- 4000K					
0305-4298	13W	G24q-1	130 mm	897 lm	£4.25	£3.95
0305-4307	18W	G24q-2	146 mm	1206 lm	£4.25	£3.95
0305-4316	26W	G24q-3	166 mm	1716 lm	£4.25	£3.95

CFL Triple Compact 4 Pin Lamps

FUSI N

■ Lamp life: 10,000 hrs



Code	Wattage	Cap	Length	Lumens	1+	10+	
Cool White – 4000K							
0305-4793	18W	GX24q-2	118 mm	1206 lm	£6.95	£6.65	
0305-4799	26W	GX24q-3	138 mm	1749 lm	£6.95	£6.65	
0305-4805	32W	GX24q-3	139 mm	2112 lm	£7.25	£6.95	
0305-4811	42W	GX24q-4	165 mm	2814 lm	£7.25	£6.95	



CFL LAMPS

CFL Long Compact 4 Pin PLL Lamps

FUSI:N

Cap: 2G11



Code	Wattage	Length	Lumens	1+	10+			
Cool White – 4000K								
0567-8161	18W	225 mm	1206 lm	£6.40	£6.10			
0567-8170	24W	320 mm	1800 lm	£6.40	£6.10			
0567-8179	36W	415 mm	2916 lm	£6.40	£6.10			
0567-8188	40W	535 mm	3320 lm	£7.25	£6.95			
0567-8197	55W	535 mm	4510 lm	£7.25	£6.95			

CFL 2D Lamps

■ Lamp life: 10,000 hrs



Code	Wattage	Сар	Lumens		Price		
White – 3500K							
1145-1463	16W	GR82Pin	1060 lm	1+	£5.15 10+	£4.85	
1362-5662	16W	GR10q 4 Pin	1060 lm	1+	£5.15 10+	£4.85	
2018-8870	28W	GR8 2 Pin	2000 lm	1+	£5.50 10+	£5.25	
1145-1466	28W	GR10q 4 Pin	2000 lm	1+	£5.50 10+	£5.25	
1362-5665	38W	GR10q 4 Pin	2550 lm	1+	£6.50 10+	£6.05	

FLUORESCENT TUBES

T8 Triphosphor Fluorescent Tubes

FUSI N





Code	Length	Wattage	Lumens	1+	25+
White - 3500					
1653-5542	18"	15W	960 lm	£7.50	£6.95
0305-4418	2 ft	18W	1350 lm	£3.25	£3.15
1035-3877	3 ft	30W	2450 lm	£5.85	£5.65
0305-4469	4 ft	36W	3350 lm	£4.50	£4.25
0305-4490	5 ft	58W	5250 lm	£5.25	£4.95
0999-1591	6 ft	70W	6200 lm	£10.50	£9.75
Cool White -	4000K				
1653-5545	18"	15W	960 lm	£7.50	£6.95
0305-4421	2 ft	18W	1350 lm	£3.25	£3.15
0305-4448	3 ft	30W	2450 lm	£5.85	£5.65
0305-4472	4 ft	36W	3350 lm	£4.50	£4.25
0305-4493	5 ft	58W	5250 lm	£5.25	£4.95
0305-4505	6 ft	70W	6200 lm	£10.50	£9.75
Daylight - 65	00K				
0574-1053	2 ft	18W	1250 lm	£3.25	£3.15
0567-8131	4 ft	36W	3050 lm	£4.50	£4.25
0585-3589	5 ft	58W	5000 lm	£5.25	£4.95











FLUORESCENT TUBES

T5 Miniature Fluorescent Tubes

FUSI N

■ Lamp life: 5.000 hrs



*WHILE STOCKS LAST

Code	Length	Wattage	Lumens	1+ 10+
White - 3500				
2385-6190	150 mm [6"]	4W	160 lm	Visit cef.co.uk
0305-4496	225 mm [9"]	6W	260 lm	Visit cef.co.uk
0305-4508	300 mm [12"]	8W	380 lm	Visit cef.co.uk
0305-4397	525 mm [21"]	13W	800 lm	Visit cef.co.uk

T5 Triphosphor Fluorescent Tubes



- High-efficiency fluorescent tubes
- Lamp life: 24,000 hrs



*WHILE STOCKS LAST

Code	Length	Wattage	Lumens	1+	20+
Cool White -	4000K				
0305-4403	549 mm	14W	1250 lm	£4.25	£3.95
1090-6723	549 mm	24W	1800 lm	£4.65	£4.40
0305-4427	849 mm	21W	1900 lm	£4.65	£4.40
1090-6729	849 mm	39W	3005 lm	£6.50	£6.25
0305-4433	1149 mm	28W	2620 lm	£4.65	£4.40
1090-6738	1149 mm	54W	4412 lm	£6.50	£6.25
0305-4454	1449 mm	35W	3300 lm	£6.50	£6.25
1090-6735	1449 mm	49W	4312 lm	£6.50	£6.25
1090-6741	1449 mm	80W	6200 lm	£6.50	£6.25



CIRCULAR FLUORESCENT TUBES

T9 Circular Triphosphor Fluorescent Tubes



Code	Wattage	Lumens	1+
Cool White -	4000K		
1043-5348	32W	2400 lm	£14.75
1043-5357	40W	3200 lm	£20.95

INSECT KILLER LAMPS

Insect Killer Tubes



FUSI:N

- It is recommended that insect killer lamps are changed every 12 months as UV levels deteriorate over the life of the lamp
- Deterioration of the lamp means insect attraction rates are significantly reduced
- Lamp life: 8,000 hrs



Wattage	1+	10+
8W	£10.50	£9.95
15W	£10.75	£10.25
18W	£11.75	£11.25
	8W	8W £10.50 15W £10.75

22W T8 Circular Insect Killer Lamp



- It is recommended that insect killer lamps are changed every 12 months as UV levels deteriorate over the life of the lamp
- Deterioration of the lamp means insect attraction rates are significantly reduced
- Cap: G10q
- Lamp life: 8,000 hrs



Code	1+	10+
0305-3266	£23.95	£22.95
		100





FUSI N

HALOGEN LAMPS

Halogen Capsule Lamps 12V

Finish: Clear

■ Lamp life: 2,000 hrs



Code	Wattage	Сар	Lumens	1+	10+
Warm White	-2900K				
0431-1037	5W	G4	60 lm	£1.85	£1.70
2597-9065	8W	G4	104 lm	£1.85	£1.70
2597-9059	16W	G4	280 lm	£1.85	£1.70
2597-9062	28W	GY6.35	580 lm	£1.85	£1.70
2597-9056	40W	GY6.35	905 lm	£1.85	£1.70

Halogen Linear Lamps 230V

riileai raiiihs sona

■ Cap: R7s

FUSI Lamps

FUSI;



Code	Length	Wattage	Lumens	1+	10+
Warm Whit	e – 2900K				
0975-3094	78 mm	80W	1380 lm	£3.50	£3.25
0975-3079	78 mm	120W	2220 lm	£3.50	£3.25
0975-3091	118 mm	80W	1380 lm	£3.50	£3.25
0975-3076	118 mm	120W	2220 lm	£3.50	£3.25

Halogen Capsule Lamps 230V

Finish: Clear

■ Cap: G9

■ Lamp life: 2,000 hrs



Code	Wattage	Lumens	1+	10+
Warm White	- 2700K			
0999-1597	18W	204 lm	£3.50	£3.25
0999-1600	33W	460 lm	£3.50	£3.25

INFRARED HEAT LAMPS

300W Protected Infrared Lamp

Protective glass sleeve around the lamp

■ Cap: R7s

0648-1090

■ Lamp life: 4,000 hrs





118 mm



APPLIANCE LAMPS

15W Fridge / Microwave Lamp

■ Cap: SES / E14

■ Lamp life: 1,000 hrs



Code	Lumens	1+	10+
Warm White	– 2700K		
2261-2432	80 lm	£3.20	£3.05

40W Cooker Hood Lamp

- Dimmable
- Cap: SES / E14
- Lamp life: 1,000 hrs



Code	Lumens	1+	10+
Warm Whit	e – 2700K		
1607-6983	420 lm	£3.05	£2.85

Oven Lamps

FUSI:N

FUSI:

- Operates at temperatures up to 300°C
- Cap: SES / E14
- Lamp life: 1,000 hrs



Code	Wattage	Lumens	1+	10+
Warm White	2 – 2700K			
1653-8116	15W	66 lm	£2.50	£2.25
1653-8119	25W	100 lm	£2.75	£2.50

40W Round Oven Lamp

- Operates at temperatures up to 300°C
- Cap: SES / E14
- Lamp life: 1,000 hrs



Code	Lumens	1+	10+
Warm White	Warm White – 2700K		
2267-6077	380 lm	£3.75	£3.50

LED LAMPS

9.5W Essential LED GLS Lamps 230V

FUSI Suitable replacement for

- Finish: Opal
- Lamp life: 15,000 hrs

60W incandescent lamps

■ Guarantee: 1 Year



WHILE STOCKS LAST

Code	Сар	Lumens	1+	10+
Non-Dimma	able – Warm White – 2700ł	(
2703-2164	BC / B22	900 lm	£4.50	£4.30
2703-2176	ES / E27	900 lm	£4.50	£4.30
Non-Dimma	able – Cool White – 4000K			
2703-2170	BC / B22	915 lm	£4.50	£4.30
2703-2182	ES / E27	915 lm	£4.50	£4.30
Dimmable -	- Warm White – 2700K			
2703-2173	BC / B22	900 lm	£6.05	£5.75
2703-2185	ES / E27	900 lm	£6.05	£5.75

LED GLS Lamps 230V

- Suitable replacement for 60 and 100W filament
- Finish: Opal
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



FUSI:N

Code	Wattage	Сар	Lumens	1+	10+
Non-Dimm	able – Warm Whit	e – 2700K			
2703-2023	8.5W	BC / B22	810 lm	£6.50	£5.95
2703-2041	8.5W	ES / E27	810 lm	£6.50	£5.95
2703-2059	9.5W	BC / B22	1055 lm	£9.25	£8.75
2703-2065	9.5W	ES / E27	1055 lm	£9.25	£8.75
2703-2017	12.5W	BC / B22	1521 lm	£10.25	£9.75
2703-2020	12.5W	ES / E27	1521 lm	£10.25	£9.75
Non-Dimm	able – Cool White	-4000K			
2703-2029	8.5W	BC / B22	840 lm	£6.50	£5.95
2703-2047	8.5W	ES / E27	840 lm	£6.50	£5.95
Dimmable ·	– Warm White – 2°	700K			
2703-2035	8.5W	BC / B22	810 lm	£8.25	£7.75
2703-2053	8.5W	ES / E27	810 lm	£8.25	£7.75
2703-2062	9.5W	BC / B22	1055 lm	£10.50	£9.95
2703-2068	9.5W	ES / E27	1055 lm	£10.50	£9.95



FUSI N

FUSI**ÇN**°

LED LAMPS

6W LED Filament GLS Lamps 230V

Suitable replacement for 40W filament lamps

LED I Rument OLO Lumpo 2001

- Finish: Clear
- Lamp life: 15,000 hrs
- Guarantee: 2 Years

WHILE STOCKS LAST



6W Essential LED Candle Lamps

- Suitable replacement for 40W filament lamps
- Finish: Opal
- Lamp life: 15,000 hrs
- Guarantee: 1 Year

WHILE STOCKS LAST

Code	Сар	Lumens	1+	10+	
Non-Dimmable – Warm White – 2700K					
2142-0949	SBC / B15	525 lm	£4.50	£4.25	
2142-0943	BC / B22	525 lm	£4.50	£4.25	
2142-0952	SES / E14	525 lm	£4.50	£4.25	
2142-0946	ES / E27	525 lm	£4.50	£4.25	
Non-Dimmab	le – Cool White – 4000K				
2639-7355	SBC / B15	550 lm	£4.50	£4.25	
2639-7349	BC / B22	550 lm	£4.50	£4.25	
2639-7358	SES / E14	550 lm	£4.50	£4.25	
2639-7352	ES / E27	550 lm	£4.50	£4.25	
Dimmable – V	Varm White – 2700K				
2561-9173	BC / B22	525 lm	£5.75	£5.25	
2561-9179	SES / E14	525 lm	£5.75	£5.25	
2561-9176	ES / E27	525 lm	£5.75	£5.25	

3W LED Essential Candle Lamps

- Suitable replacement for 25W filament lamps
- Finish: Opal
- Lamp life: 15,000 hrs
- Guarantee: 1 Year

WHILE STOCKS LAST

Code	Cap	Lumens	1+	10+
Non-Dimma	ble – Warm White – 2700K			
2303-9620	SBC / B15	260 lm	£3.25	£2.95
2303-9614	BC / B22	260 lm	£3.25	£2.95
2303-9623	SES / E14	260 lm	£3.25	£2.95
2303-9617	ES / E27	260 lm	£3.25	£2.95



5W LED Candle Lamps

- Suitable replacement for 40W filament lamps
- Finish: Opal
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



WHILE STOCKS LAST

FUSI Lamps

FUSI

Code	Сар	Lumens	1+	10+
Non-Dimma	ble – Warm White – 2700K			
1750-8178	SBC / B15	470 lm	£4.95	£4.50
1750-8166	BC / B22	470 lm	£4.95	£4.50
1750-8184	SES / E14	470 lm	£4.95	£4.50
1750-8172	ES / E27	470 lm	£4.95	£4.50
Non-Dimma	ble – Cool White – 4000K			
2142-1969	SBC / B15	485 lm	£4.95	£4.50
2142-1924	BC / B22	485 lm	£4.95	£4.50
2142-1975	SES / E14	485 lm	£4.95	£4.50
2142-1954	ES / E27	485 lm	£4.95	£4.50
Dimmable -	- Warm White – 2700K			
1750-8181	SBC / B15	470 lm	£6.25	£5.75
1750-8169	BC / B22	470 lm	£6.25	£5.75
1750-8187	SES / E14	470 lm	£6.25	£5.75
1750-8175	ES / E27	470 lm	£6.25	£5.75

4W LED Filament Candle Lamps

- Suitable replacement for 40W filament lamps
- Finish: Clear
- Lamp life: 15,000 hrs
- Guarantee: 2 Years



Code	Cap	Lumens	1+	10+			
Non-Dimma	Non-Dimmable – Warm White – 2700K						
2703-2098	SBC / B15	470 lm	£4.25	£3.75			
2703-2080	BC / B22	470 lm	£4.25	£3.75			
2703-2107	SES / E14	470 lm	£4.25	£3.75			
2703-2089	ES / E27	470 lm	£4.25	£3.75			
Dimmable –	Warm White – 2700K						
2703-2104	SBC / B15	470 lm	£5.95	£5.50			
2703-2086	BC / B22	470 lm	£5.95	£5.50			
2703-2113	SES / E14	470 lm	£5.95	£5.50			
2703-2095	ES / E27	470 lm	£5.95	£5.50			

FUSI



LED LAMPS

LED 2D Lamps

- Suitable replacement for 16 and 28W compact fluorescent 2D lamps
- Lamp life: 30,000 hrs
- Guarantee: 3 Years



Code	Wattage	Сар	Lumens	1+	10+
Non-Dimma	ble – Cool White – 4	4000K			
2123-0989	8W	GR8 2 Pin	800 lm	£19.25	£18.25
2123-0983	14W	GR10q 4 Pin	1400 lm	£21.25	£20.25
2120 0000		ORTOG TT III	1100 till	221120	

6W Essential LED Golf Ball Lamps

- FUSI Lames ■ Suitable replacement for 40W filament lamps
- Finish: Opal
- Lamp life: 15,000 hrs
- Guarantee: 1 Year



WHILE STOCKS LAST

Code	Сар	Lumens	1+	10+
Non-Dimmal	ble – Warm White – 2700K			
2142-0961	SBC / B15	525 lm	£3.95	£3.75
2142-0955	BC / B22	525 lm	£3.95	£3.75
2142-0964	SES / E14	525 lm	£3.95	£3.75
2142-0958	ES / E27	525 lm	£3.95	£3.75

5W LED Golf Ball Lamps

- Suitable replacement for 40W filament lamps
- Finish: Opal

FUSI N

- Lamp life: 25,000 hrs
- Guarantee: 3 Years



WHILE STOCKS LAST

Code	Cap	Lumens	1+	10+
Non-Dimma	ble – Warm White – 2700K			
1750-8202	SBC / B15	470 lm	£6.75	£6.25
1750-8190	BC / B22	470 lm	£6.75	£6.25
1750-8208	SES / E14	470 lm	£6.75	£6.25
1750-8196	ES / E27	470 lm	£6.75	£6.25
Dimmable -	Warm White – 2700K			
1750-8205	SBC / B15	470 lm	£7.95	£7.50
1750-8193	BC / B22	470 lm	£7.95	£7.50
1750-8211	SES / E14	470 lm	£7.95	£7.50
1750-8199	ES / E27	470 lm	£7.95	£7.50

4W LED Filament Golf Ball Lamps



- Suitable replacement for 40W filament lamps
- Finish: Clear
- Lamp life: 15,000 hrs
- Guarantee: 2 Years



Code	Cap	Lumens	1+	10+
Non-Dimma	ble – Warm White – 2700K			
2703-2128	SBC / B15	470 lm	£4.25	£3.75
2703-2116	BC / B22	470 lm	£4.25	£3.75
2703-2134	SES / E14	470 lm	£4.25	£3.75
2703-2122	ES / E27	470 lm	£4.25	£3.75



FUSI

FUSI:N

FUSI N

LED LAMPS

LED T8 Glass Tubes

Suitable replacement for fluorescent tubes

 Complete with LED starter for use in switch start retrofit installations

- Beam angle: 300°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



FUSI:

FUSI N

Code	Length	Wattage	Lumens	1+	5+
Non-Dimma	ble – Cool White –	4000K			
2096-0905	2 ft	9W	900 lm	£7.75	£7.55
2096-0923	4 ft	18W	1950 lm	£12.75	£12.25
2096-0932	5 ft	24W	2600 lm	£15.25	£14.75
2096-0938	6 ft	30W	3400 lm	£25.50	£24.50

LED T8 Tri-Colour Glass Tubes

Suitable replacement for fluorescent tubes

 Complete with LED starter for use in switch start retrofit installations

 Selectable colour temperature: Warm white 3000K, cool white 4000K and daylight 6500K

■ Beam angle: 300°

■ Lamp life: 25,000 hrs

■ Guarantee: 3 Years



Code	Length	Wattage	Lumens	1+	5+
Non-Dimma	ble				
2772-8017	2 ft	9W	945 lm / 990 lm / 990 lm	£8.95	£8.50
2772-8020	3 ft	14W	1540 lm / 1680 lm / 1680 lm	£10.95	£10.50
2772-8023	4 ft	18W	1980 lm / 2160 lm / 2160 lm	£13.75	£13.25
2772-8026	5 ft	24W	2640 lm / 2880 lm / 2880 lm	£15.95	£15.50
2772-8029	6 ft	30W	3300 lm / 3600 lm / 3600 lm	£30.95	£29.95



LED T5 Glass Tubes

Suitable replacement for fluorescent tubes

■ Beam angle: 200°

■ Lamp life: 25,000 hrs

Guarantee: 3 Years



Essential LED GU10 Lamps 230V

- Pack of 10

- Suitable replacement for 35 and 50W halogen lamps
- Beam angle: 38°
- Lamp life: 20,000 hrs
- Guarantee: 2 Years







LED LAMPS

4W Essential LED GU10 Lamps

- Suitable replacement for 50W halogen lamps
- Lamp life: 20,000 hrs
- Guarantee: 2 Years



WHILE STOCKS LAST

Code	Beam Angle	Lumens	Colour Temp	1+	10+
Non-Dimma	ble				
2150-1709	30°	350 lm	Warm White – 3000K	£2.85	£2.60
2150-1703	30°	350 lm	Cool White - 4000K	£2.85	£2.60
2150-1706	30°	350 lm	Daylight – 6000K	£2.85	£2.60
Dimmable					
2150-1613	38°	370 lm	Warm White – 3000K	£3.95	£3.50
2150-1604	38°	380 lm	Cool White - 4000K	£3.95	£3.50
2150-1607	38°	390 lm	Daylight – 6000K	£3.95	£3.50

5W LED GU10 Glass Lamps

- Suitable replacement for 50W halogen lamps
- Beam angle 38°
- Lamp life: 15,000 hrs
- Guarantee: 2 Years



FUSI

WHILE STOCKS LAST

Code	Lumens	Colour Temp	1+	10+
Non-Dimmab				
2467-3576	500 lm	Warm White – 3000K	£2.85	£2.60
2467-3570	500 lm	Cool White – 4000K	£2.85	£2.60
Dimmable				
2467-3579	500 lm	Warm White – 3000K	£4.25	£3.85
2467-3573	500 lm	Cool White – 4000K	£4.25	£3.85

5W LED GU10 Lamps

- Suitable replacement for 50W halogen lamps
- Beam angle: 38°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



WHILE STOCKS LAST

Code	Lumens	Colour Temp	1+	10+
Non-Dimmab				
2090-6851	500 lm	Warm White – 3000K	£3.95	£3.50
2090-6839	510 lm	Cool White - 4000K	£3.95	£3.50
2090-6845	520 lm	Daylight – 6000K	£3.95	£3.50
Dimmable				
2090-6854	500 lm	Warm White – 3000K	£5.95	£5.50
2090-6842	510 lm	Cool White – 4000K	£5.95	£5.50
2090-6848	520 lm	Daylight – 6000K	£5.95	£5.50



5W LED GU10 Lamps

- Suitable replacement for 50W halogen lamps
- Beam angle: 60°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



Code	Lumens	Colour Temp	1+	10+
Non-Dimm	able			
2253-2821	500 lm	Warm White – 3000K	£3.95	£3.50
2253-2815	510 lm	Cool White - 4000K	£3.95	£3.50
Dimmable				
2253-2824	500 lm	Warm White – 3000K	£5.95	£5.50
2253-2818	510 lm	Cool White – 4000K	£5.95	£5.50

LED MR16 Lamps

- Suitable replacement for 35 and 50W halogen lamps
- LED Driver recommended sold separately [1330-8694]
- Beam angle: 38°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



Code	Wattage	Lumens	1+	10+
Non-Dimma	ble – Warm Whi	te – 3000K		
2037-8470	4W	315 lm	£7.50	£7.25
2197-2217	5W	395 lm	£7.95	£7.75
2090-6815	7W	555 lm	£9.25	£9.05
Non-Dimma	ble – Cool White	e – 4000K		
2037-8464	4W	320 lm	£7.50	£7.25
2197-2211	5W	400 lm	£7.95	£7.75
2090-6809	7W	560 lm	£9.25	£9.05
Non-Dimma	ble – Daylight –	6000K		
2037-8467	4W	325 lm	£7.50	£7.25
2197-2214	5W	405 lm	£7.95	£7.75
2090-6812	7W	565 lm	£9.25	£9.05



LED LAMPS


Essential LED Reflector Lamps 230V

Suitable replacement for 30, 40 and 60W filament lamps

Finish: Opal

2303-9605

- Beam angle: 120°
- Lamp life: 15,000 hrs
- Guarantee: 1 Year



ES / E27

860 lm

2W LED G4 Capsule Lamps – Pack of 2

R80

Suitable replacement for 10 and 20W halogen lamps

■ Lamp life: 15,000 hrs

10W

Guarantee: 1 Year



£7.95

£7.25

FUSI N

FUSI N

FUSI:N

Code	Lumens	1+	10+
Non-Dimmal	ole – Warm White – 3000K		
2196-2761	200 lm	£10.50	£9.95
Non-Dimmal	ole – Cool White – 4000K		
2247-2401	200 lm	£10.50	£9.95

3.3W LED G9 Capsule Lamps – Pack of 2

Suitable replacement for 40W halogen lamps

■ Lamp life: 15,000 hrs

■ Guarantee: 1 Year



Code	Lumens	1+	10+
Non-Dimma	ole – Warm White – 3000K		
2196-2764	350 lm	£10.50	£9.95
Non-Dimma	ole – Cool White – 4000K		
2247-2404	350 lm	£10.50	£9.95

LED R7s Linear Lamps

Suitable replacement for tungsten halogen lamps

■ Lamp life: 25,000 hrs

■ Guarantee: 3 Years



Code	Wattage	Lumens	Length	1+	10+
Non-Dimmab					
2123-0995	5W	500 lm	78 mm	£11.25	£10.75
2123-0977	9W	1050 lm	118 mm	£11.75	£11.25

LED Reflector Lamps

Suitable replacement for 30 - 60W filament lamps

Finish: Opal

FUSI**;**N

Beam angle: 120°

■ Lamp life: 25,000 hrs

Guarantee: 3 Years



Code	Wattage	Size	Сар	Lumens	1+	10+
Non-Dimma	ble – Warm Wi	hite – 3000K				
2057-0755	3W	R39	SES / E14	240 lm	£6.95	£6.50
1878-2368	5W	R50	SES / E14	400 lm	£9.25	£8.75
1878-2374	7.5W	R63	ES / E27	700 lm	£11.95	£11.50
1878-2380	9W	R80	ES / E27	860 lm	£13.50	£12.95

15W LED PAR38 Lamp 230V

Suitable replacement for 120W filament lamps

- Cap: ES / E27
- Beam angle: 30°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



LED Striplights

Suitable replacement for 30 and 60W filament lamps

- Finish: Opal
- Cap: S15s
- Lamp life: 20,000 hrs
- Guarantee: 2 Years

Code	Wattage	Length	Lumens	1+	10+
Non-Dimmal	ble – Warm White	– 3000K			
2302-6582	4W	221 mm	350 lm	£11.75	£11.25
2302-6585	6W	284 mm	550 lm	£11.75	£11.25

2W LED Cooker Hood Lamp

Suitable replacement for 40W cooker hood lamps

Finish: Clear

- Cap: SES / E14
- Lamp life: 15,000 hrs
- Guarantee: 2 Years



Code	Lumens	1+	10+
Non-Dimma			
2196-3070	180 lm	£6.50	£5.95

FUSI N

FUSI:N

FUSI



Shop the easy way

Get the essential electrical products you need to get the job done



Choose how you shop

Trade Catalogue

- Browse, research and compare products
 - Get prices for everyday essentials
- Order in branch or online

Online at cef.co.uk

- Over 44,000 products
 - Free delivery on orders over £50

Trade App

- Scan products in the Trade Catalogue on your smartphone
 - Pay securely
- **Delivery to a location** that suits you

Digital Catalogue

- Browse and shop the Trade Catalogue online
- Check stock online and in branch
- Visit catalogue.cef.co.uk

Visit **cef.co.uk** or contact your local CEF branch today









LED BATTENS

LED Tri-Colour Battens IP20

FUSI**\$**N

ш 0

- Steel body with powder-coated finish
- Polycarbonate UV stabilised diffuser
- Quick-release access system
- Ideal retrofit option for existing T8 or T5 fixtures
- Integrated LED
- Colour temperature: Warm white 3000K, cool white 4000K and daylight 6500K
- Lamp life: 50,000 hrs
- Dimensions: 72 mm[W] x 72.5 mm[D]
- Mounted: Surface or suspended
- Guarantee: 5 Years [on-site quarantee: 1 year] [emergency guarantee: 2 years]


Safety cords to LED tray



- Detection angle [ceiling]: 360° [wall]: 150°
- Detection range: 10 m
- Timer adjustment: 5 secs, 30 secs, 90 secs, 5 mins, 20 mins or 30 mins







Code	Size	Wattage	Sensor	Lumens	Length		P	rice	
Standard									
2756-5063	2ft	10W	-	1200 lm	600 mm	1+	£29.95	10+	£28.95
2756-5066	4 ft	20W	-	2400 lm	1200 mm	1+	£30.95	10+	£29.50
2756-5081	5ft	30W	-	3600 lm	1500 mm	1+	£34.95	10+	£33.50
2756-5093	5 ft	30W	Microwave	3600 lm	1500 mm	1+	£53.95	10+	£51.95
2756-5111	6 ft	40W	-	4800 lm	1800 mm	1+	£44.95	10+	£43.50
Standard -	– High	Output							
2756-5075	4 ft	40W	-	4800 lm	1200 mm	1+	£46.75	10+	£45.25
2756-5099	5 ft	60W	-	7200 lm	1500 mm	1+	£44.95	10+	£43.50
2756-5105	5 ft	60W	Microwave	7200 lm	1500 mm	1+	£74.95	10+	£72.95
2756-5117	6 ft	67W	-	8040 lm	1800 mm	1+	£63.50	10+	£61.95
3 hr Maint	ained	Emergen	СУ						
2756-5072	4 ft	20W	-	2400 lm	1200 mm	1+	£74.95	3+	£72.95
2756-5087	5ft	30W	-	3600 lm	1500 mm	1+	£79.95	3+	£77.95
2756-5096	5 ft	30W	Microwave	3600 lm	1500 mm	1+	£94.95	3+	£92.95
2756-5114	6 ft	40W	-	4800 lm	1800 mm	1+	£84.95	3+	£82.95
3 hr Maint	ained	Emergen	cy – High Ou	tput					
2756-5078	4 ft	40W	-	4800 lm	1200 mm]+	£87.50	3+	£85.50
2756-5102	5 ft	60W	-	7200 lm	1500 mm	1+	£89.95	3+	£87.95
2756-5108	5 ft	60W	Microwave	7200 lm	1500 mm	1+	£109.95	3+	£107.95
2756-5120	6 ft	67W	-	8040 lm	1800 mm	1+	£99.95	3+	£97.95

LED NON-CORROSIVE FITTINGS

LED Non-Corrosive Fittings IP65



- Polycarbonate body and purpose-designed opal diffuser
- Integrated LED
- Colour temperature: Cool white 4000K
- Lamp life: 50,000 hrs
- Mounted: Surface or suspended
- Guarantee: 5 Years [on-site guarantee: 1 year] [emergency quarantee: 2 years]

Microwave features:

- Detection angle [ceiling]: 360° [wall]: 150°
- Detection range: 10 m
- Timer adjustment: 5 secs, 30 secs, 90 secs, 5 mins, 20 mins or 30 mins

Includes:

- Stainless steel fixing clips
- Gear tray extension cords





Code	Size	Wattage	Lumens	Length	Width	Depth	1+	10+
Standard								
2613-7831	2ft	9W	1100 lm	600 mm	96 mm	79 mm	£29.50	£27.95
2613-7894	4 ft	18W	2200 lm	1200 mm	96 mm	79 mm	£30.75	£29.25
2613-7846	5 ft	23W	2800 lm	1500 mm	96 mm	79 mm	£35.50	£33.95
2613-7858	6 ft	27W	3200 lm	1800 mm	96 mm	83 mm	£49.95	£48.50
Standard	– High	Output						
2613-7834	2ft	18W	2200 lm	600 mm	96 mm	79 mm	£33.95	£32.50
2613-7840	4 ft	40W	4800 lm	1200 mm	96 mm	79 mm	£42.50	£40.95
2613-7852	5 ft	48W	5800 lm	1500 mm	96 mm	79 mm	£48.50	£46.95
2613-7864	6 ft	55W	6600 lm	1800 mm	96 mm	83 mm	£59.50	£57.95
Standard	– Micro	owave Se	nsor					
2726-9278	5 ft	23W	2800 lm	1500 mm	96 mm	79 mm	£51.50	£49.95
2726-9272	5 ft	48W	5800 lm	1500 mm	96 mm	79 mm	£64.50	£62.75
Code	Size	Wattage	Lumens	Length	Width	Depth	1+	3+
3 hr Maint	ained l	Emergeno	y					
2613-7837	4 ft	18W	2200 lm	1200 mm	96 mm	79 mm	£78.95	£76.95
2613-7849	5 ft	23W	2800 lm	1500 mm	96 mm	79 mm	£83.50	£81.50
0010 7001								
2613-7861	6 ft	27W	3200 lm	1800 mm	96 mm	83 mm	£96.95	£94.95
			3200 lm :y – High Ou		96 mm	83 mm	£96.95	£94.95
					96 mm	83 mm 79 mm	£96.95	£94.95 £86.50
3 hr Maint	ained I	mergeno	y – High Ou	itput				
3 hr Maint 2613-7843	ained I 4 ft	Emergenc 40W	y – High Ou 4800 lm	tput 1200 mm	96 mm	79 mm	£88.95	£86.50
3 hr Maint 2613-7843 2613-7855 2613-7867	4 ft 5 ft 6 ft	Emergence 40W 48W 55W	cy - High Ou 4800 lm 5800 lm 6600 lm	1200 mm 1500 mm	96 mm 96 mm 96 mm	79 mm 79 mm	£88.95 £98.95	£86.50 £96.95
3 hr Maint 2613-7843 2613-7855 2613-7867	4 ft 5 ft 6 ft	Emergence 40W 48W 55W	cy - High Ou 4800 lm 5800 lm 6600 lm	1200 mm 1500 mm 1800 mm	96 mm 96 mm 96 mm	79 mm 79 mm	£88.95 £98.95	£86.50 £96.95

LED PANELS

Backlit LED TP[a] Panels IP20

Code	Wattage	Lumens	Length	Width	Depth	1+	10+		
Non-Dimma	able – Cool	White – 400	OK						
2676-5530	36W	3820 lm	595 mm	595 mm	34 mm	£25.95	£24.95		
2676-5524	45W	4830 lm	1195 mm	595 mm	34 mm	£76.95	£74.95		
Non-Dimmable – Daylight – 6500K									
2676-5533	36W	3820 lm	595 mm	595 mm	34 mm	£25.95	£24.95		



- Aluminium body with low glare opal polycarbonate TP[a] diffuser
- Optional emergency conversion pack sold separately [2628-3835]
- Mounted: Recessed
- Lamp life: 50,000 hrs
- Guarantee: 5 Years [on-site quarantee: 1 year]

Includes:

■ Plug-and-play driver



2676-5530





LED PANEL SURFACE MOUNTING BOX

Surface Mounting Boxes

FUSI N

- Suitable for LED panels
- White powder coated steel



Code	Length	Width	Depth	1+	10+
2234-0395	600 mm	600 mm	70 mm	£27.95	£26.75
2234-0401	1200 mm	600 mm	70 mm	£50.50	£48.95

LED EMERGENCY PACKS

4.3W Emergency Conversion Pack

FUSI**N**

- Designed for Fusion LED panels
- Emergency duration: 3 hrs
- 24 Hour charge time
- Charge indicator LED
- Test button
- Guarantee: 2 Years



Code	Length	Width	Depth	1+	3+
2628-3835	213 mm	95 mm	40 mm	£57.95	£55.95

4.1W Maintained Emergency Conversion Kit IP20



- All-in-one emergency conversion kit for Fusion Progression and Low Profile LED circular downlights
- Lithium-ion phosphate [LifePO4] battery offers excellent reliability
- Plug-and-play connections
- Manual test button
- Emergency duration: 3 hrs
- Guarantee: 2 Years

Code	Length	Width	Depth	1+	3+
2634-4570	213 mm	95 mm	40 mm	£49.50	£47.50

FREE LIGHTING DESIGN SERVICE



light simulation tools

Exclusive lighting design service for CEF customers from Fusion Luminaires.

95% of lighting designs completed within 3 days For more details contact your local branch

LED COMMERCIAL DOWNLIGHTS

LED Low Profile Commercial Downlights IP20



- Low profile recessed downlight with opal polycarbonate diffuser
- Ideal replacement for existing CFL fixtures
- Mounted: Recessed
- Lamp life: 25,000 hrs
- Guarantee: 2 Years

Includes:



Code	Wattage	Lumens	Depth	Ø	Cut Out Ø	1+	10+
Cool White	-4000K						
2634-4567	6W	450 lm	21 mm	128 mm	115mm	£10.50	£9.95
2634-4558	12W	900 lm	21 mm	170 mm	150 mm	£14.25	£13.75
2634-4561	18W	1600 lm	21 mm	229 mm	210 mm	£16.95	£16.25
2634-4564	24W	1900 lm	21 mm	298 mm	280 mm	£26.95	£26.25

LED BULKHEADS

6W Mini Orbit LED Circular Bulkhead IP65

FUSI

- Polycarbonate LED bulkhead with opal diffuser
- Colour temperature: Cool white 4000K
- Lumen output: 600 lm
- Lamp life: 25,000 hrs
- Guarantee: 3 Years

Includes:

- Fixing bracket
- 300 mm Prewired cable

Code	Depth	0	1+	10+
2719-8898	62 mm	167 mm	£12.95	£12.50

Standard and Eyelid Bezels available – ask in-branch for details

10W Orbit LED Oval Bulkhead IP65

- LED Bulkhead with opal diffuser
- Colour temperature: Cool white 4000K
- Lumen output: 1,000 lm
- Lamp life: 25,000 hrs
- Guarantee: 3 Years

Includes:

- Fixing bracket
- 300 mm Prewired cable



Grille Bezel available – ask in-branch for details





FUSI**:**N

CIRCULAR DOME BULKHEADS

12W / 16W Klip LED Tri-Colour Bulkheads IP65

- LED Bulkhead with opal diffuser
- Selectable colour temperature: Warm white 3000K, cool white 4000K or daylight 6500K
- Switch located on the driver takes the fitting down to 12W for increased energy savings

Depth

95 mm

95 mm

95 mm

95 mm

340 mm

340 mm

340 mm

340 mm

1+

1+

1+

1+

■ Lumen output [12W]: 1,200 - 1,300 lm [16W]: 1,600 - 1,700 lm

No

No

Microwave

Microwave

Anthracite

Black

White

Black

White

Black

White

Description

Chrome

Anthracite

Standard Bezels - To Be Ordered Separately

2704-3168

2704-3174

2704-3171

2704-3177

2743-9111

2631-9289

2631-9292

2631-9307

2743-9114

2631-9295

2631-9298

2631-9301

2631-9304

2633-1619

Code

Code

- Optional tamper-proof fixings sold separately [2633-1619]
- Lamp life: 30,000 hrs

£28.95 5+

£46.95 5+

£48.50 3+

£5.25

£3.50

£7.25

£3.50

£5.25

£3.50

£3.50

£3.50

£3.50

£3.25

£4.50

£64.95 3+

Guarantee: 5 Years [on-site guarantee: 1 year] [emergency guarantee: 2 years]












Microwave features:

- Detection angle: 360°
- Detection range: 12 m
- Timer adjustment: 0 20 mins

Includes:

Standard white bezel



12W / 16W Dome LED Tri-Colour Bulkheads IP65

- LED Bulkhead with opal diffuser
- Selectable colour temperature: Warm white 3000K, cool white 4000K or daylight 6500K
- Switch located on the driver takes the fitting down to 12W for increased energy savings
- Lumen output [12W]: 1,200 1,300 lm

[16W]: 1,600 - 1,700 lm

Tamper-Proof Screws and Tool

Guarantee: 3 Years [emergency guarantee: 2 years]

Code	Sensor	Lamp Life	Depth	Ø	Price						
Standard											
2704-3078	No	30000 hrs	82.5 mm	320 mm	1+	£22.95	5+	£21.50			
2704-3147	Microwave	30000 hrs	82.5 mm	320 mm	1+	£41.75	5+	£39.75			
3 hr Maint	3 hr Maintained Emergency										
2704-3144	No	20000 hrs	82.5 mm	320 mm	1+	£43.50	3+	£41.95			
2704-3150	Microwave	20000 hrs	82.5 mm	320 mm	1+	£59.95	3+	£57.95			
Code	Colour						1+	3+			
Bezels – To	Be Ordered	Separately									
2722-3345	Chrome £7.95							£7.75			
2722-3348	Polished Bra	SS				f	12.95	£12.75			







LED EMERGENCY LIGHTING

2.7W LED 5-In-1 Maintained / Non-Maintained Emergency Droplights IP20

- Polycarbonate housing
- Test button and charge indicator LED
- Emergency duration: 3 hrs
- Integrated LED
- Emergency lumen output: 14 lm
- Lumen output: 23 lm
- Lamp life: 30,000 hrs
- Mounted: Ceiling suspended, recessed, side or wall
- Guarantee: 2 Years









LED Emergency Bulkheads IP65

- High quality polycarbonate body and diffuser
- Hinged gear tray
- Emergency duration: 3 hrs
- Integrated LED
- Colour temperature: Daylight 6000K

Includes:

■ ISO 7010 Legend pack

- Emergency lumen output: 95 lm
- Lumen output: 305 lm
- Mounted: Surface
- Warranty: 2 Years









Visit cef.co.uk for video demonstration

FUSI**;**N°

AUTO

Code	Wattage	Type	Emergency Type	Lumens	Height	Width	Depth	1+	3+
2816-1985	1.1W	Standard	Non-Maintained	110 lm	107 mm	349 mm	64 mm	£16.50	£15.95
2816-1979	2.3W	Standard	Maintained	110 lm / 170 lm	107 mm	349 mm	64 mm	£17.95	£17.50
2816-1982	2.3W	Self-test	Maintained / Non-Maintained	110 lm / 170 lm	107 mm	349 mm	64 mm	£22.95	£22.50

AUTO

3W LED Non-Maintained Emergency Twinspots IP65

- Emergency duration: 3 hrs
- Integrated LED
- Colour temperature: Daylight 6500K
- Lumen output: 297 lm
- Lamp life: 30,000 hrs
- Guarantee: 2 Years





0)	

Code	Туре	Height	Width	Depth	1+	3+
2658-8821	Standard	281 mm	297 mm	89 mm	£46.95	£44.95
2743-9411	Auto Self-Test	281 mm	297 mm	89 mm	£55.95	£53.95

3.5W LED Maintained / Non-Maintained **Emergency Exit Boxes IP20**

- Polycarbonate housing and diffuser
- Emergency duration: 3 hrs
- Integrated LED
- Colour temperature: Daylight 6500K
- Emergency lumen output: 20 lm
- La
- Gu

Lumen outLamp life:Guarantee	30,000 hrs			*			
Code	Туре	Legend	Height	Width	Depth	1+	3+
2745-0358	Standard	Exit Arrow Up	185 mm	330 mm	39 mm	£31.95	£31.50

1W LED Non-Maintained Emergency Downlights IP20

- Typically used as an indoor escape route emergency light to help guide occupants from a building
- Interchangeable lenses available to suit specific settings – sold separately
- Emergency duration: 3 hrs
- Integrated LED
- Colour temperature: Daylight 6500K

- Lumen output: 121 lm
- Lamp life: 30,000 hrs
- Mounted: Recessed
- Guarantee: 2 Years

Includes:

Battery pack and driver



2743-9405 Auto Self-Test Exit Arrow Up 185 mm 330 mm 39 mm

AUTO SELF-TEST

FUSI**;** N

£3450

£34 95

Code	Туре	Beam Angle	Depth	Ø	Cut Out Ø	1+	3+
2628-8332	Standard	120°	50 mm	50 mm	45 mm	£28.95	£26.95
2743-9402	Auto Self-Test	120°	50 mm	50 mm	45 mm	£32.50	£30.50
Code	Туре	Beam Angle	Depth	Ø		1+	3+
Accessories							
2628-8335	Corridor Lens	170°	10 mm	33 mm		£4.75	£4.25
2628-8338	Narrow Spot Lens	45°	13 mm	33 mm		£4.75	£4.25





FUSI:N

DOWNLIGHTS AND ACCESSORIES

GU10 Fire Rated Downlights

- Push-fit loop in / out terminal block
- Supplied with terminal block and bracket
- Twist-and-lock lamp retainer [lamp not included]
- Max. Lamp wattage: 50W
- Fire rated: 30, 60 and 90 mins
- Guarantee: 1 Year

Code	Finish	Depth	Ø	Cut Out Ø	1+	10+
Fixed – IP20	– Bezel Included					
2607-5548	Polished Chrome	122 mm	85.5 mm	72 mm	£7.75	£7.25
2607-5560	Satin Nickel	122 mm	85.5 mm	72 mm	£7.75	£7.25
2607-5572	White	122 mm	85.5 mm	72 mm	£7.75	£7.25
Adjustable -	- IP20 – Bezel Includ	led				
2607-5563	Polished Chrome	122 mm	96 mm	83 mm	£9.75	£9.25
2607-5566	Satin Nickel	122 mm	96 mm	83 mm	£9.75	£9.25
2607-5569	White	122 mm	96 mm	83 mm	£9.75	£9.25



5.5W LED Fire Rated Downlights IP65

- Range: LED FRD
- Integral driver and separate prewired loop in / out push-fit terminal block
- Dimmable
- Fire rated: 30, 60 and 90 mins
- Lamp life: 25,000 hrs
- Guarantee: 3 Years

								Do Di	
Code	Finish	Beam Angle	Lumens	Depth	Ø	Cut Out Ø	1+	10+	
Warm White -	- 3000K – Bezel Includo	ed							EDOI
2628-8365	Satin Nickel	60°	480 lm	55 mm	87 mm	60 - 72 mm	£12.75	£12.25	LKUI
2628-8371	White	60°	480 lm	55 mm	84 mm	60 - 72 mm	£12.25	£11.75	
Cool White -	4000K – Bezel Included	j							
2628-8362	Satin Nickel	60°	500 lm	55 mm	87 mm	60 - 72 mm	£12.75	£12.25	
2628-8368	White	60°	500 lm	55 mm	84 mm	60 - 72 mm	£12.25	£11.75	
							1000	A COURT	

FUSI**N**

Cut Out Ø 1+ 10+ 60 - 72 mm £12.75 £12.25 60 - 72 mm £12.25 £11.75 60 - 72 mm £12.75 £12.25 60 - 72 mm £12.25 £11.75

5.5W LED Fire Rated Tri-Colour Dimmable Downlight

- Range: LED FRD
- Selectable colour temperature:
 Warm white 3000K, cool white 4000K and daylight 6000K
- Colour selectable via switch located underneath the bezel
- Lumen output: 450 lm / 500 lm / 500 lm
- Integral driver and separate prewired loop in / out plug-and-play connector
- Dimmable
- Fire rated: 30, 60 and 90 mins
- Lamp life: 25,000 hrs
- Guarantee: 3 Years








Code	Finish	Beam Angle	Depth	Ø	Cut Out Ø	1+	10+
Bezel Includ	led						
2743-9417	White	60°	56 mm	87 mm	70 - 75 mm	£16.50	£15.95



4.5W / 5.5W / 7.5W LED Fire Rated Tri-Colour Downlight IP65







- Wattage selectable via switch located on the integral driver
- Lumen output [4.5W]: 400 lm / 430 lm / 400 lm
 [5.5W]: 500 lm / 550 lm / 500 lm

[5.5W]: 500 lm / 550 lm / 500 lm [7.5W]: 600 lm / 700 lm / 600 lm



- Dimmable
- \blacksquare Fire rated: 30, 60 and 90 mins
- Lamp life: 30,000 hrs
- Guarantee: 5 Years





FUSIN

	****	co acinonati ation					200
Code	Finish	Beam Angle	Depth	Ø	Cut Out Ø	1+	10+
Bezel Includ	ed						
27/,2-0/,1/	White	eu.	56 mm	Ձե mm	70 - 75 mm	£10 05	£10 50

FUSIN



LED FLOODLIGHTS

Asymmetric LED Floodlights IP65

- Die-cast aluminium powder-coated body with glass lens
- Asymmetric light distribution ideal for communal spaces, car parks and installing on facades
- Precision angle bracket: 0 60°
- Integrated LED
- Colour temperature: Daylight 5500K
- Lamp life: 50,000 hrs
- Guarantee: 5 Years [on-site quarantee: 1 year]

Includes:

■ 2 m Cable



Guardian LED Floodlights IP65

- Die-cast aluminium powder-coated body
- Integrated LED
- Ground spike and extension arm sold separately [only compatible with Floodlights up to 50W]
- Can be mounted without removing the bracket
- Colour temperature: Cool white 4000K
- Lamp life: 50,000 hrs
- Guarantee: 5 Years [on-site guarantee: 1 year]

PIR Features:

- Detection angle: 120°
- Detection range: Up to 10 m
- Timer adjustment: 10 secs 7 mins

Includes:

- Adjustable bracket
- 1 m Cable



Code	Wattage	Lumens	Height	Width	Depth	1+	3+		
Standard									
2672-6707	15W	1950 lm	188 mm	129 mm	34 mm	£24.50	£23.50		
2672-6719	30W	3900 lm	238 mm	173 mm	42 mm	£37.75	£36.75		
2672-6728	50W	6500 lm	250 mm	188 mm	42 mm	£56.50	£54.95		
2672-6734	80W	10400 lm	302 mm	250 mm	52 mm	£111.50	£108.50		
2672-6704	100W	13000 lm	358 mm	279 mm	57 mm	£126.95	£123.95		
2672-6710	150W	19500 lm	405 mm	329 mm	62 mm	£156.50	£153.50		
2672-6716	250W	32500 lm	471 mm	401 mm	62 mm	£241.95	£238.95		
PIR									
2672-6713	15W	1950 lm	250 mm	129 mm	51 mm	£33.75	£32.75		
2672-6722	30W	3900 lm	303 mm	173 mm	53 mm	£44.75	£42.75		
2672-6731	50W	6500 lm	315 mm	188 mm	54 mm	£68.25	£66.25		
Code	Description	n					1+		
Accessories									
2672-6737	Ground Sp	Ground Spike							
2676-5230	514 mm Ex	ctension Arm					£23.75		

Protector LED Floodlights IP65

Die-cast aluminium powder-coated body

Integrated LED

FUSION

FUSI**Ç**N°

- Can be mounted without removing bracket
- Colour temperature: Cool white 4000K
- Lamp life: 25,000 hrs
- Warranty: 3 Years

PIR Features:

- Detection angle: 120°
- Detection range: 10 m
- Timer adjustment: 3 secs 8 mins





Includes:

- Adjustable bracket
- 1 m Prewired cable

Code	Wattage	Lumens	Height	Width	Depth	1+	3+
Standard							
2722-2667	10W	1000 lm	113 mm	127 mm	27 mm	£8.50	£7.95
2722-2673	20W	2000 lm	113 mm	127 mm	27 mm	£12.75	£12.25
2722-2679	30W	3000 lm	124 mm	153 mm	27 mm	£21.95	£21.50
2722-2688	50W	5000 lm	168 mm	153 mm	32 mm	£32.50	£31.95
PIR							
2722-2670	10W	1000 lm	158 mm	127 mm	56 mm	£14.95	£14.50
2722-2676	20W	2000 lm	158 mm	127 mm	56 mm	£18.50	£17.95
2722-2685	30W	3000 lm	174 mm	153 mm	56 mm	£28.95	£28.50
2722-2691	50W	5000 lm	208 mm	209 mm	60 mm	£39.50	£38.95





FUSIN

CONTEMPORARY UP / DOWNLIGHTS

GU10 Up / Downlights IP44

- Lamp type: GU10 LED [not included]
- Max. Lamp wattage: 35W
- Guarantee: 1 Year

PIR Features:

- Detection range: 6 m
- Timer adjustment: 8 secs 5 mins





FUSI**ON**

Code	Finish	Height	Width	Projection	1+	3+
Downlight						
2704-3162	Black	123 mm	86 mm	92 mm	£18.25	£17.25
2704-3165	Stainless Steel	123 mm	86 mm	92 mm	£20.25	£19.25
Up / Downlig	jht					
2704-4374	Black	164 mm	86 mm	92 mm	£21.75	£20.75
2704-4380	Stainless Steel	164 mm	86 mm	92 mm	£22.50	£21.50
Up / Downlig	ght – Photocell					
2754-6328	Black	222 mm	69 mm	106 mm	£24.95	£23.95
2754-6331	Stainless Steel	222 mm	69 mm	106 mm	£26.95	£25.95
Up / Downlig	ght – PIR					
2704-4377	Black	222 mm	69 mm	106 mm	£28.50	£27.50
2704-4386	Stainless Steel	222 mm	69 mm	106 mm	£29.50	£28.50

SPIKE LIGHTS

Spike Lights IP65

- Adjustable spike light
- Lamp type: GU10 [not included]





Code	Finish	Height	Ø	1+	3+
2704-3153	Black	263 mm	63.5 mm	£22.95	£21.95
2704-3156	Black	315 mm	98 mm	£15.50	£14.50
2704-3159	Stainless Steel	273 mm	60 mm	£27.75	£26.75

LED WALL PACKS

20W Tri-Colour LED Wall Packs IP65

FUSI N

- Die-cast aluminium body and polycarbonate diffuser
- Push-fit connectors for easy installation
- Integrated LED
- Selectable colour temperature: Warm white 3000K, cool white 4000K or daylight 6500K
- Lumen output: 1,500, 1550 or 1,600 lm
- Lamp life: 50,000 hrs
- Guarantee: 5 Years [on-site guarantee: 1 year]









UNDER CABINET LIGHTS

LED Slimline Colour Selectable Under Cabinet Lights IP20



- Suitable replacement for traditional T4 and T5 fluorescent fittings
- Compact, surface mounted design
- Selectable colour temperature: Warm white 3000K and cool white 4000K
- Beam angle: 150°
- Lamp life: 30,000 hrs
- Warranty: 3 Years



- 1.5 m Mains cable
- 170 mm Link cable
- Fixing brackets



1	Con	nec	tor
---	-----	-----	-----

Code	Wattage	Length	Lumens	1+	5+
2795-8372	4W	225 mm	400 lm	£15.95	£15.50
2795-8369	4W	288 mm	450 lm	£17.50	£16.95
2795-8378	7W	516 mm	850 lm	£20.95	£20.50
2795-8360	13W	849 mm	1500 lm	£25.95	£24.95
2795-8363	18W	1149 mm	1800 lm	£29.95	£27.75



LED LINEAR SURFACE FITTINGS

Aten LED Linear Fittings IP20

- FUSI**O**N
- Glass-free lighting solution ideal for kitchens
- PMMA Opal diffuser and polycarbonate end caps
- Integrated LED
- Beam angle: 110°
- Colour temperature: Cool white 4000K
- Lamp life: 30,000 hrs
- Dimensions: 133 mm[W] x 45 mm[D]
- Mounted: Surface
- Guarantee: 2 Years




	LEU	DLINE	ſ
1	+		10


FUSI**ON**

Code	Size	Wattage	Lumens	Length	1+	10+
1994-9083	2 ft	25W	2000 lm	594 mm	£31.75	£30.25
1994-9077	4 ft	48W	4300 lm	1194 mm	£54.75	£53.25
1994-9080	5 ft	48W	4800 lm	1494 mm	£60.95	£59.50

Aten2 LED Tri-Colour Linear Fittings IP20



- Selectable colour temperature: Warm white 3000K, cool white 4000K or daylight 6000K
- Switch the unit Off then On within three seconds and the fitting will switch between colour temperatures



- Integrated LED
- Beam angle: 110°
- Lamp life: 30,000 hrs
- Dimensions: 133 mm[W] x 45 mm[D]
- Mounted: Surface
- Guarantee: 2 Years



Code	Size	Wattage	Lumens	Length	1+	10+
2083-4971	2 ft	25W	1900 lm 2200 lm 2100 lm	594 mm	£31.95	£30.50
2083-4962	4 ft	48W	3600 lm 4000 lm 3800 lm	1194 mm	£58.50	£56.95
2083-4968	5 ft	48W	4100 lm 4700 lm 4500 lm	1494 mm	£64.25	£62.75



LED HIGH BAY FITTINGS

LED High Bay Fittings IP65



- Ideal for replacement of SON or metal halide high bays
- Die-cast aluminium housing with integral driver and polycarbonate lens
- 1 10V Dimmable as standard
- Beam angle: 120°
- Colour temperature: Cool white 4000K
- Lamp life: 50,000 hrs
- Guarantee: 5 Years [on-site quarantee: 1 year]



Includes:

■ 1 m Cable



Code	Wattage	Lumens	Depth	Ø	1+	10+
2681-1319	150W	21000 lm	159 mm	280 mm	£109.95	£107.95
2681-1322	200W	28000 lm	169 mm	330 mm	£149.95	£147.95
2681-1325	240W	33600 lm	169 mm	330 mm	£159.95	£157.95

LOW VOLTAGE DIMMABLE TRANSFORMERS

Low Voltage Electronic Dimmable Transformers



- For use with low voltage [12V] lamps
- Soft start feature extends lamp life
- Auto-resetting overload and overheat protection
- EN 61347
- Guarantee: 1 Year



Code	Power Range	Length	Width	Depth	1+
With Tail Le	ads				
0942-1825	0 - 50W	95 mm	27.5 mm	41.5 mm	£16.75
With Termi	nals				
0052-1065	0 - 105W	108 mm	33 mm	44 mm	£21.95



SHAVER LIGHTS



LED STRIP KITS

2384-6470





£42.50

£40.95



2384-6473

£28.50

£29.95



Cool White - 4000K

FUSIN



PHOTOCELLS



UV Stabilised polycarbonate

- E.M. Relay switch
- Lux levels: 70 / 105 lx [1:1.5 + VE]
- Switching delay: 15 secs
- EN 50081-1
- Guarantee: 1 Year

Kit contents:

- Photocell head
- Base holder
- Bracket
- NEMA Socket
- Integral gasket
- Screws and wall plugs



Code	Description	Height	Projection	1+	3+
Opal Diffuse					
0003-7102	Kit	124 mm	87 mm	£22.95	£21.95
0003-7096	Replacement Head	50 mm	80 mm	£18.95	£17.95
Clear Diffus	er				
0003-7099	Replacement Head	50 mm	80 mm	Visit cef.	.co.uk

10A Wall Mounted Electronic Photocell Kit IP65

Photodiode sensor with opal diffuser

- Lux levels: 10 65 lx
- BS 5972:80
- Guarantee: 1 Year



Kit contents:

- Photocell head
- Base holder
- Bracket
- NEMA Socket
- Integral gasket


0337-5454

0337-5451

FUSI**ON**

FUSI

Screws and wall plugs



80 mm

£14.95

£13.95

FUSI**Ç**N

Miniature Electronic Photocell IP65



- Fits into 20 mm[Ø] cut out
- Maximum capacity: 60μF
- Lux level: 70 lx
- Switching delay: 10 30 secs
- VDR Voltage suppression
- Guarantee: 1 Year

Load rating:

- Max. 1,200W [5A] Incandescent lamps
- Max. 250W [1A] LED Lamps

Code	Length	Width	Depth	1+	3+
2236-3081	54 mm	36 mm	38 mm	£22.95	£21.95

Miniature Thermal Nipple Head Photocell IP65

Replacement Head

 $60\,\mathrm{mm}$



- Fits into 20 mm[Ø] cut out
- Suitable for use in external fixtures
- Lux levels: 10 16 / 65 lx
- Guarantee: 1 Year

Load rating:

- Max. 2,000W [8A] Incandescent lamps
- Max. 200W [0.8A] LED Lamps

Code	Length	Width	Depth	1+	3+
0337-5469	50 mm	28 mm	40 mm	£15.75	£14.75

DOWNLIGHT RETAINING CLIP

Metal Lamp Retaining Clip





Code	Lamp Ø	Сар	1+
0003-9925	50 mm	MR16 / GU10	£0.77

LAMPHOLDERS

Spare Lampholders

Designed for use with GU10 or GU5.3 MR16 lamps









Code	Сар	Description	1+
0003-9928	GU5.3	Low Voltage [Prewired 145 mm Leads]	£1.90
0052-0588	GU10	Mains [Prewired 145 mm Leads]	£1.85
2571-3559	GU10	Mains [Prewired 240 mm Silicone Cable]	£2.25



CEF are committed to providing their customers with a unique recycling solution, to ensure all electrical waste is recycled responsibly and valuable resources are captured and recovered for our future generations.

CEF are the only electrical distributor in the UK to have recycling facility, offering our one-stop recycling service and compliance in line with all current legislation.



ASK IN-BRANCH OR VISIT cef.co.uk/waste-recycling FOR MORE INFORMATION



LIGHTING ESSENTIALS Pricing shown for illustrative purposes only. **Download for free today** App Store





CEF recycle over 1 million

CEF care for the environment by recycling 98% of the electrical waste it receives

lamps a year

CEF recycle more electrical waste than any other UK

CEF have a network of over

responsibilities

390 branches ready to help you meet your environmental

electrical distributor













